

## Insulated Cable Clamps



































Part N°	
 <b>BS-3000</b>	200
 <b>BS-3001</b>	200

## Magic Cable Tie



Fabric Cable Ties. Self-adhering, easy to manage, long lasting and non-corrosive. Made especially for applications in telecommunications like optical fibre and

electrical cables, the ties have many other uses. The ties come in a variety of six colours, five lengths and two widths. The ties are very resistant to vibrations.

Part N°	Dimensions mm.		ØMax. Bundle mm.		Part N°	Dimensions mm.		ØMax. Bundle mm.	
	Length	Width				Length	Width		
 <b>MGT-125-NG</b>	125	12	30	20	 <b>MGT-180-BL</b>	180	12	40	20
 <b>MGT-125-AM</b>	125	12	30	20	 <b>MGT-180-RO</b>	180	12	40	20
 <b>MGT-125-AZ</b>	125	12	30	20	 <b>MGT-180-VE</b>	180	12	40	20
 <b>MGT-125-BL</b>	125	12	30	20	 <b>MGT-210-NG</b>	210	16	50	20
 <b>MGT-125-RO</b>	125	12	30	20	 <b>MGT-210-AM</b>	210	16	50	20
 <b>MGT-125-VE</b>	125	12	30	20	 <b>MGT-210-AZ</b>	210	16	50	20
 <b>MGT-135-NG</b>	135	12	33	20	 <b>MGT-210-BL</b>	210	16	50	20
 <b>MGT-135-AM</b>	135	12	33	20	 <b>MGT-210-RO</b>	210	16	50	20
 <b>MGT-135-AZ</b>	135	12	33	20	 <b>MGT-210-VE</b>	210	16	50	20
 <b>MGT-135-BL</b>	135	12	33	20	 <b>MGT-310-NG</b>	310	16	85	20
 <b>MGT-135-RO</b>	135	12	33	20	 <b>MGT-310-AM</b>	310	16	85	20
 <b>MGT-135-VE</b>	135	12	33	20	 <b>MGT-310-AZ</b>	310	16	85	20
 <b>MGT-180-NG</b>	180	12	40	20	 <b>MGT-310-BL</b>	310	16	85	20
 <b>MGT-180-AM</b>	180	12	40	20	 <b>MGT-310-RO</b>	310	16	85	20
 <b>MGT-180-AZ</b>	180	12	40	20	 <b>MGT-310-VE</b>	310	16	85	20