

Characteristics



HEPA -
Included



High Filtration
Efficiency Unit



Dual Motor



Low Noise



Wet and Dry
Recovery



- HEPA filter with an efficiency of 99.995% at 0.3 micron. Tested IEST-RP-CC001. H14 by MPPS method as per EN 1822 and OSHA compliant. All of our HEPA vacuum systems are aerosol leak tested before leaving our facility - included
- For general housekeeping
- Dual bypass/dual speed heavy duty motors. 2000W (2400 max.)
- For wet & dry recovery
- Polyethylene recovery tank
- Silent operation
- Mounted on a Tilting Cart (TC) for easy disposal of recovered materials

Specifications

4D-25 (TC) SERIES	110856B	112756B	112760B	112762B
Model Name	4D-25 (F) (TC) RE HEPA	4D-25 (F) (TC) NO HEPA	4D-25 (TC) RE HEPA	4D-25 (TC) NO HEPA
Type (Powerhead)	Electric - Dual Motor	Electric - Dual Motor	Electric - Dual Motor	Electric - Dual Motor
Tension	230 V	230 V	230 V	230 V
Frequency	50 Hz	50 Hz	50 Hz	50 Hz
Phase	Single	Single	Single	Single
Wattage	2100 W	2100 W	2400 W	2400 W
Power	2.1 kW	2.1 kW	2.4 kW	2.4 kW
Amperage	10 A	10 A	11 A	11 A
Air Flow	336 m ³ /h	336 m ³ /h	388 m ³ /h	388 m ³ /h
Vacuum Pressure	2110 mm H ₂ O	2110 mm H ₂ O	2504 mm H ₂ O	2504 mm H ₂ O
Type of Power Outlet	Not Included	Not Included	Not Included	Not Included
Suction Inlet	50 mm	50 mm	50 mm	50 mm
Cart Type	Tilt Cart (TC)	Tilt Cart (TC)	Tilt Cart (TC)	Tilt Cart (TC)
Filter Type	HEPA H14	No HEPA	HEPA H14	No HEPA
Dust Recovery Tank	64.4 L	64.4 L	64.4 L	64.4 L
Dry Recovery - Disposable Filter Bag	26.5 L	26.5 L	26.5 L	26.5 L
Liquid Recovery Capacity	64.4 L	64.4 L	64.4 L	64.4 L
Length	71 cm	71 cm	71 cm	71 cm
Width	66 cm	66 cm	66 cm	66 cm
Height	117 cm	117 cm	117 cm	117 cm
Weight (Vacuum Only)	36 kg.	36 kg.	36 kg.	36 kg.
Cord Length	10.6 m	10.6 m	10.6 m	10.6 m

Please note that specifications are subject to change without notice

Use only recommended tools & accessories



HEPA Filter - Included for RE Models



Main Cloth Filter - Included



Liquid Filter - Included



Disposable Filter Bag - Optional



Clear Polyliner Recovery Bags - Optional



4D-25 (TC) RE NO HEPA