

# Urbane

Le passé revisité  
*The past revisited*

# Urbane

Promenades urbaines

Urban promenades

Pourvu de formes légères et épurées, l'Urbane semble flotter dans les airs. Ce luminaire décoratif flatte la tradition et la modernité, en revisitant les quatre faces au caractère ancien, sans se départir d'une grande fonctionnalité.

Il propose de nombreuses configurations (porté ou suspendu, avec ou sans bras) et ajoute une note de fantaisie avec sa pointe blanche nichée au cœur des bras, offrant un effet de lumière.

Ces caractéristiques lui permettent de s'adapter aisément à son environnement. Elles participent aux multiples possibilités de mises en lumière, des architectures classiques aux plus actuelles.



*With its suave ethereal lines, Urbane is like a parachute floating in the air. Modern and traditional at the same time, this decorative model reinterprets the four-sided street light of character while ensuring a high level of functionality.*

*It offers several configurations (top-mounted or suspended, with or without arms) and adds a touch of fantasy: a decorative white cone in the centre of the arms, to give a lighting effect.*

*Enabling Urbane to adapt easily to its environment, these various features also play their part in offering many possibilities for lighting arrangements, from the most classic to the most contemporary.*

Mise à jour : 13/04/2016

Update

[www.ragni.com](http://www.ragni.com)





# Urbane

## Points forts

- Peut être décliné dans plusieurs configurations : modèle avec 4 bras / porté ou suspendu ou modèle sans bras suspendu
- Event régulant les pressions d'air interne
- Crochet d'ouverture très fonctionnel (sans outils)
- Compatible avec module à Led ou équipé d'un réflecteur asymétrique routier ou circulaire.
- Pointe décorative blanche au coeur des bras

## Highlights

- Available in different configurations, 4 arms / most-top or hanging or hanging model without arms
- Vent regulating internal air pressure
- Very practical tool-free opening hook
- Compatible with Led module or fitted with equipped with asymmetrical or circular reflector

## Caractéristiques techniques

### Matière

Luminaire : Fonderie d'aluminium injecté  
Réflecteur : Aluminium brillanté embouti  
Protection : Verre trempé

### Forme Protection

Standard : Plate (serigraphiée)

### Finition Protection

Standard : Transparente

### Optique

Type : Réflecteur asymétrique routier (sur demande circulaire) ou OPTICALED evo  
Côté douille : Chaussée

### Puissance Maximum

SHP/IM : 150 W  
Cosmo : 140 W  
OPTICALED evo : 30 LED @ 1050 mA

### Fixation

En top : Ø60  
Profondeur d'emmanchement : 80 mm  
Sommitale : 1" GAZ mâle

### Couleur standard

Gris 2900 sablé ou noir foncé RAL 9005

## Technical characteristics

### Materials

Fixture: Injected cast aluminium  
Reflector: Pressed bright dipped aluminium  
Protection: Tempered glass

### Protection Shape

Standard: Flat (screen printing)

### Protection Finish

Standard: Transparent

### Optical

Type: Asymmetrical reflector (circular on request) or OPTICALED evo  
Socket side: Roadway

### Maximum Power

HPS/MH (high pressure sodium): 150 W  
Cosmo: 140 W  
OPTICALED evo: 30 LED @ 1050 mA

### Mounting

Top mounted: Ø60  
Depth of insertion: 80 mm  
Top hanging: 1" BSPT male

### Color Standard

Sanded grey 2900 or dark black RAL 9005





# Urbane

Promenades urbaines

Urban promenades



+ Ouverture/fermeture par crochet sans outil  
Tool-free hook opening/closing



+ Pointe blanche décorative  
Decorative white cone




+ Accès lampe et appareillage  
Lamp and controlgear access

## ☼ Classe électrique

I et II

## ☼ Electric class

I and II



Urbane

Urbane C

**Poids (kg)/Weight**..... 10,5 ..... 7,9

**SCx (m<sup>2</sup>)/CxS**..... 0,10 ..... 0,08

### Indice de protection

#### Protection index

Bloc optique .....IP 66..... IP 66

Optical unit

Logement électrique .....IP 66..... IP 66

Electrical Housing

**Énergie de choc**.....IK 08.....IK 08

#### Shock resistance

#### Dimensions (mm)

Size

D H  
480 800

D H  
480 300

## Options

IK 10 sur demande

Déconnexion à l'ouverture


IK 10 on request

Disconnets upon opening





CONSOLE **Acidalis**  
Acidalis BRACKET




A - Murale Wall mounting    B - Jima 400    C - Java 600    D - Kima 600    E - Kima 600    F - Volute 700    G - Java 600

**Urbane**  
Propositions d'ensembles  
Suggestions for ensembles



CONSOLE **Agliée**  
Agliée BRACKET



A - Murale Wall mounting    B - Jima 800    C - Kima 800    D - Kima 800






CONSOLE **Arcadia**  
Arcadia BRACKET



**Urbane**  
Propositions d'ensembles  
Suggestions for ensembles



A - Murale  
Wall mounting

B - Kima 600


C - Kima 800

D - Kima 800

E - Kima 800

F - Kima 800

CONSOLE **Atala**  
Atala BRACKET



A - Murale  
Wall mounting

B - Jima 600

C - Jima 800

D - Volute 500

E - Kima 700

F - Kima 800



CONSOLE **Emana**  
Emana BRACKET



**Urbane**


Propositions d'ensembles  
Suggestions for ensembles




A - Murale  
Wall mounting



B - Jima 600



C - Jima 800




D - Kima 800



E - Kima 800

CONSOLE **Datana**  
Datana BRACKET



A - Murale  
Wall mounting



B - Jima 800



C - Jima 800



D - Kima 800



E - Kima 800





CONSOLE Denisia  
Denisia BRACKET



Urbane  
Propositions d'ensembles  
Suggestions for ensembles


A - Kima 600

B - Jima 700

C - Jima 800

D - Kima 800

E - Kima 800



CONSOLE Clipper  
Clipper BRACKET



A - Murale  
Wall mounting


B - Jima 600

C - Jima 800

D - Java 600

E - Kima 800


F - Kima 800  
borne Wanda  
Wanda bollard







En top  
Top mounted




### Urbane

Propositions d'ensembles  
Suggestions for ensembles

A - Jima 350 B - Ventoux 350 C - Volute 350 D - Aeson 400 E - Carré 400 Square F - Jima 400 G - Nausicaa 400




En top (suite)  
Top mounted (continued)



H - Odysée 400 I - Jima 500 J - Pelas 500 K - Cyl 500 L - Ilion 550





**Urbane**  
Propositions d'ensembles  
Suggestions for ensembles

- A - Murale  
Wall mounting
- B - Java 500
- C - Jima 600
- D - Jima 800
- E - Velas 400
- F - Kima 800
- G - Kima 800

