

SAS-TENTS



Chinese

English

French

German

Hungarian

Italian


Russian

Slovenian

Spanish

Turkish

mobile space solutions
www.r-zs.com



RÖDER SAS REQUIREMENTS & SOLUTIONS

20.000 m²

USABLE AREA

1,5 years

TIME FRAME

ca. 4.000

PERSONS

Gravel and sandy ground

GROUND

170 x SAS 35

TENT TYPE

Emergency and refugee camp in Africa

3.000 m²

USABLE AREA

1 Week

TIME FRAME

Lawn

GROUND

42 x SAS 24

TENT TYPE

Sleep and bedding down store

SPECIAL FEATURES

Summer celebration for 200 children and teenagers of the German youth fire department

2.000 m²

USABLE AREA

Earth quake region in Italy

FIELD OF APPLICATION

45 x SAS 24

30 x SAS 35

TENT TYPE

2 Days

WORK TIME

Emergency accommodation in the catastrophe area in Italy



300 m²

USABLE AREA

3 Weeks

TIME FRAME

50

PERSONS

Snow and Ice | - 12° Celsius

WEATHER CONDITIONS

5 x SAS 60

TENT TYPE

Heating systems

EQUIPMENT

Base camp (kitchens and supply tents)

**for an international one
expedition in Nepal**

700 m²

USABLE AREA

Maintenance and store tents

REQUIREMENTS

10 x SAS 56

TENT TYPE

Heating and climate systems as
well as light units

EQUIPMENT

**Installation of maintenance and store
tents for an ADAC event**

Fast installation

REQUIREMENTS SETUP AND DEPOSIT

Robust, solid, simple and
resistant

MATERIAL

War and catastrophe
regions all over the world

FIELD OF APPLICATION

Various SAS-TENTS

TENT TYPE

**Team, maintenance, medical, and
storage tents for military units**



» PROTECTIVE AND MULTIFUNCTIONAL

RÖDER SAS TENTS are suitable for exceptional situations by the robust, sturdy construction and ease of use: The perfect space solution for all army and aid organizations or other outdoor activities.





RÖDER SAS-TENTS

FAST AND EASY

The multifunctional RÖDER SAS TENTS are the ideal space solution for army, charity and other outdoor organizations because of different versions. Anodized aluminum frames, high-quality planning and robust components such as the aluminum die-cast connector guarantee easy handling and long life. Due to the sustainable mobility and sophisticated design, the systems can be installed quickly and at almost any location within a very short time. Especially in difficult situations, difficult terrain and under extreme climatic conditions, the system provides protection and security.

As a universal tent system with countless applications it is mainly used in association and youth groups, as a protective or team area for police, fire and aid organizations as well as for humanitarian and military areas. RÖDER SAS TENTS convince technically, economically and with safety.

Come and speak to us in person to find out which tent or marquee system best meets your requirements. The RÖDER team looks forward to helping you find the perfect accommodation!



» RESISTANT AND EXPEDIENT

RÖDER SAS TENTS are characterized by their modular applicability. Several tents with the same span can be connected very fast.



POSSIBLE APPLICATIONS

TEAM TENT BASE CAMP **KITCHEN** COMMAND
CENTER PROTECTION TENT MATERIAL STORAGE
 ACCOMODATION TENT **PLANING** TENT WORKSHOP
 OFFICE **MAINTENCE HALL** MEDICAL TENT FIRE
DEPARTMENT EMERGENCY TENT WEATHER
 PROTECTION HUMANITARIAN MISSIONS GARAGE
DORM MILITARY OPERATIONS **POLICE** YOUTH FACILITY

SMALL PACKING VOLUME

The pack sacks included for frame, tarpaulin and small parts ensure trouble-free transport due to the manageable dimensions. This prolongs the life of RÖDER SAS TENTS and ensures safe, comfortable and fast logistics.

**VERSATILE AND
 MODULAR**



HARD IN TAKING COMFORTABLE IN THE APPLICATION








RÖDER SAS 24/25/34/35/45/48/56/60

TECHNICAL DATA

TYPE	SIZE (H X W X SH)	TOTAL WEIGHT TARPAULIN + FRAME	RIDGE HEIGHT	BASE
SAS 24	4,75 x 5,0 x 1,7 m	31 kg + 31 kg = 62 kg	2,5 m	24 m ²
SAS 25	5,0 x 5,0 x 1,9 m	35 kg + 32 kg = 67 kg	2,7 m	25 m ²
SAS 34	5,65 x 6,0 x 1,7 m	31 kg + 42 kg = 81 kg	2,7 m	34 m ²
SAS 35	5,9 x 6,0 x 1,9 m	45 kg + 43 kg = 88 kg	2,9 m	35 m ²
SAS 45	5,65 x 8,0 x 1,7 m	53 kg + 54 kg = 107 kg	2,7 m	45 m ²
SAS 48	5,9 x 8,0 x 1,9 m	61 kg + 56 kg = 117 kg	2,9 m	47 m ²
SAS 56	5,65 x 10,0 x 1,7 m	64 kg + 65 kg = 129 kg	2,7 m	57 m ²
SAS 60	5,9 x 10,0 x 1,9 m	74 kg + 68 kg = 142 kg	2,9 m	59 m ²


SCOPE OF SUPPLY



SAS 24 (SAS 25)

6 bars @ 244 cm
6 bars @ 194 cm
6 stakes @ 173 cm (194 cm)
Longest component: 244 cm


6 three-arm die-cast connector
3 four-arm die-cast connector
6 pegs



SAS 34 (SAS 35)

8 bars @ 244 cm
9 bars @ 194 cm
8 stakes @ 173 cm (194 cm)
Longest component: 244 cm


6 three-arm die-cast connector
6 four-arm die-cast connector
8 pegs



SAS 45 (SAS 48)

10 bars @ 244 cm
12 bars @ 194 cm
10 stakes @ 173 cm (194 cm)
Longest component: 244 cm

6 three-arm die-cast connector
9 four-arm die-cast connector
10 pegs



SAS 56 (SAS 60)

12 bars @ 244 cm
15 bars @ 194 cm
12 stakes @ 173 cm (194 cm)
Longest component: 244 cm

6 three-arm die-cast connector
12 four-arm die-cast connector
12 pegs

QUESTIONS AND COMMENTS

We have provided you with a summary of the main data and measurements of our standard constructions. No guarantee can be made for the accuracy of the information given. We cannot be held liable for printing or spelling errors. We would be happy to meet with you personally to help you find the perfect accommodation to match your requirements. If you have any questions on further measurements, specialist constructions, extensions or remodeling, or if you require further technical data, the RÖDER team will be happy to help.



FLEXIBLE AND ROBUST

EQUIPMENT FEATURES

SAFETY FIRST

The RÖDER SAS-TENTS can be quickly and easily assembled and disassembled by stable and solid connection elements. The well-designed combination of supporting and connecting elements guarantees a proven high level of structural stability. Many optional pieces of equipment and tent components can be added to the standard scope of delivery.



1. Stability

RÖDER guarantees a high level of stability on almost any terrain.

2. Plug connections

Easy installation by plug-in system, interior partitions can be installed with the grid

3. Die-cast aluminum connections

The original aluminium die-cast connections

4. Accessories

Bag system for safe and gentle way to transport

5. Special equipment

Exclusive accessories such as interior partitions and storm bracing



INCLUDED IN DELIVERY

Frame construction made of anodized aluminium-round tube 40 x 1,5 mm; Pegs included

2 gables, loosely mountable, 1 roof tarpaulin

2 entrances | 2 windows (4 pieces at the length of 8 and 10 m)

Robust die-cast plug-in connections

PVC-fouling strip

Pack sacks for frame, tarpaulins and small parts

SPECIAL EQUIPMENT

Floors

Interior partitions

Complete tarpaulins in PVC execution

Storm bracing

Lateral entrance

DESCRIPTION OF FRAME MATERIAL

Round tube made of anodized aluminum (40 x 1,5 mm)

Connector made of aluminum die-cast

DESCRIPTION OF TARPAULIN MATERIAL

Cotton polyester, 50% cotton, 50% polyester

Area weight 420 g/m²

Tarpaulins manufactured according to EN 15619

4.



5.



TECHNICAL FEATURES

DECADES OF EXPERIENCE

The RÖDER Group uses only the most qualified staff, the best materials and constantly draws on its decades of experience in the field of temporary accommodation – right from the very start of the construction and production process of the tent and marquee systems. We achieve high customer satisfaction through quality and safety. Continuous and reliable quality management means we can place our trust in the materials we use. The RÖDER Group is certified according to the European standards EN ISO 9001:2008 and EN ISO 14001:2009. All structures are calculated and tested in accordance with the European standard EN 13782.

DURABLE AND HIGH-QUALITY



SUSTAINABLE AND ECOLOGICAL



BENEFITS AND ADDED VALUE OVERVIEW

EASY AND FAST INSTALLATION
LOW PACK-VOLUME AND PACKSACK
HIGH-QUALITY COTTON-POLYESTER TARPAULIN
QUALITY AND SAFETY CERTIFIED
ADAPTED TO NEEDS OF AID ORGANIZATIONS
ENGINEERED AND MADE IN GERMANY
ROBUST BY ALUMINIUM DIE-CAST CONNECTIONS
LIGHT WEIGHT HIGH STABILITY
EXCELLENT VALUE FOR MONEY
BREATHABLE AND ROTTING-RESISTANT
TENT ENTRANCE BOTH SIDES POSSIBLE
DURABLE AND HIGH QUALITY MATERIALS
DIVERSE APPLICATION POSSIBILITIES
FAST AND CHEAP SPARE PARTS SERVICE
FLEXIBLE AND MODULAR EQUIPMENT
TENTS OF THE SAME SPAN CAN BE CONNECTED





ISO 9001:2008
 ISO 14001:2009
 REGISTERED FIRM

QUALITY MANAGEMENT

**ENGINEERED IN
 GERMANY**

IN ALL PROCESSES, WE ENSURE THAT THE HIGHEST QUALITY AND SAFETY STANDARDS ARE COMPLIED WITH IN ORDER TO PROTECT OUR CUSTOMERS AND TO OFFER THEM THE BEST-LOOKING PRODUCT WITH THE BEST MATERIALS. THIS IS WHY QUALITY, SAFETY AND DURABILITY ARE FIRM COMPONENTS OF RÖDER'S COMPANY CULTURE.

In order to optimise production and business processes and to maintain all safety guidelines so as to guarantee product quality and customer satisfaction, the RÖDER Group employs consistent, sustainable and thorough quality management. The concept of our quality management is based on internal and external input. All relevant processes are defined and documented – from the design phase, material selection and project planning right up to when the tent and marquee systems are given to the customers. As a high-end manufacturer, 'Engineered in Germany' and 'Made by RÖDER' is our promise of quality to our customers. Both our design expertise and quality management are therefore pivotal for the success of our products and trust of our customers.

The quality management systems, which are tested and certified in accordance with the European standards **EN ISO 9001:2008** and **EN ISO 14001:2009**, relate to the design, construction, production, sale and hiring out of RÖDER tent and marquee systems. In order to guarantee the quality promised by the RÖDER Group, all members of staff take part in regular external and internal training on quality and safety. All our temporary accommodation is inspected by TÜV in terms of construction, structure and the tarpaulins. In addition, the company receives external advice and supervision from Bavarian-based company inspectors, the **LGA (Landesgewerbeamt Bayern)**.

<p>ARGENTINA (RÖDER PARTNER) 1 Roggerone SRL, Av. Santa Fé 2665-1640 Martinez, Pcia de Buenos Aires, Argentina Fon + 54 11 47 92 54 22 Fax + 54 11 47 93 41 13 info@r-zs.com</p>	<p>CZECH REPUBLIC 7 (RÖDER in Czech Republic) Marie Kršňákové 119 403 17 Chabařovice, Czech Republic Fon + 42 04 75 21 47 93 4 Fax + 42 04 75 21 47 93 www.roeder.cz info@r-zs.com</p>	<p>ITALY (RÖDER Italia SRL) 13 Bahnhofstrasse 27/a Via Stazione IT-39042 Brixen, Italy Fon + 39 04 72 83 09 39 Fax + 39 04 72 83 29 09 italia@r-zs.com</p>	<p>SWEDEN (RÖDER PARTNER) 20 One4Event AB Hemgatan 2 SE-78473 Borlänge, Sweden Fon +46 24 37 94 36 0 Fax +46 24 37 94 36 9 www.one4event.com info@r-zs.com</p>
<p>AUSTRIA (RÖDER in Austria) 2 Mitteweg 8 AT-4175 Herzogsdorf, Austria Fon + 43 7 23 13 30 93 Fax + 43 7 23 13 30 93 www.r-zs.at info@r-zs.com</p>	<p>FRANCE (RÖDER France SARL) 8 ZI No. 2 - 28, Allée Monge FR-60 000 Beauvais, France Fon + 33 3 44 02 88 77 Fax + 33 3 44 05 39 26 info@roder.fr</p>	<p>NEW ZEALAND (RÖDER PARTNER) 14 H-Line Structures 9A Taylor Rd NZ-Papamoa, Bay of Plenty 3118, New Zealand Fon +61 74 63 52 69 4 Fax +61 74 63 53 64 9 www.hlinestructures.com.au info@r-zs.com</p>	<p>SWITZERLAND (RÖDER PARTNER) 21 Orgatent AG Gewerbe Badhus CH-6022 Grosswangen, Switzerland Fon + 41 4 19 80 49 39 Fax + 41 4 19 80 49 19 www.orgatent.ch info@orgatent.ch</p>
<p>AUSTRALIA (RÖDER PARTNER) 3 H-Line Structures Australia P.O. Box 8009, Toowoomba AU-4350 Queensland, Australia Fon + 61 75 44 51 30 0 Fax + 61 75 44 58 02 7 www.hlinestructures.com.au info@r-zs.com</p>	<p>GERMANY (RÖDER) 9 Zelt- und Veranstaltungsservice GmbH Am Lautenstein, 63654 Büdingen Fon + 49 60 49 700 0 Fax + 49 60 49 700 339 www.r-zs.com info@r-zs.com</p>	<p>ROMANIA (RÖDER in Romania) 15 Str. Buzești Nr. 61, Et. 7, Ap. 48-49, Sector 1, RO-011013 Bukarest, Romania Fon + 40 21 31 10 01 1 Fax + 40 21 31 10 01 1 www.roeder.ro info@r-zs.com</p>	<p>TURKEY (RÖDER PARTNER) 22 RÖDER Yapı Sistemleri San. Tic. Ltd. Sti Yeniyol Sokak, No:16 Etap, Blokları, A Blok 5. Kat, Daire:12 Acıbadem Kadiköy, TR-34718 Istanbul, Turkey Fon + 90 21 63 40 89 10 Fax + 90 21 63 40 89 15 www.roder.com.tr info@roder.com.tr</p>
<p>CHILE (RÖDER PARTNER) 4 Armando Pucci, General manager of Bodegajes Temporales Limitada Patricia Viñuela 578-C CL-Lampa Santiago, Chile Fon + 54 11 47 92 54 22 Fax + 54 11 47 93 41 13 www.armandopucci.cl info@r-zs.com</p>	<p>GREECE (RÖDER PARTNER) 10 Con.Tent Ltd. Kifissias Avenue 198 GR-15231 Halandra-Athens, Greece Fon + 30 21 06 75 47 20 Fax + 30 21 06 75 47 22 info@r-zs.com</p>	<p>RUSSIAN FEDERATION (RÖDER RUSSIA) 16 RÖDER OOO v. Chernaya Gryaz, 5A, Solnechnogorskiy area, region moscow, RU-141580 Moskau, Russian Federation, Fon + 7 495 785 81 57 Fax + 7 495 785 81 58 www.roder.ru roder@roder.ru</p>	<p>UKRAINE (RÖDER PARTNER) 23 Tent Plettac Ltd. Plodova Str., 1 UA-4128 Kyiv, Ukraine Fon +38 044 400 0461 Fax +38 044 422 2145 www.tent-plettac.com info@tent-plettac.com</p>
<p>CHINA (PEKING) 5 RÖDER Tent Service (Beijing) CO., Ltd Rm. 311 Sanchuan Dasha 3 Hepingli Xijie, Chaoyang Qu 100013 BEIJING, P. R. China Fon + 86 10 64 40 55 - 71 -72 Fax + 86 10 64 40 52 19 www.roder-china.com info@roder-china.com</p>	<p>GUATEMALA 11 (RÖDER in Guatemala) Apartado Postal 176 "C", C.C. Metro 15 Zona 15 GT-01015 Guatemala C.A., Guatemala Fon + 50 2 50 16 0 78 0 Fax + 50 2 23 69 8 55 0 info@r-zs.com</p>	<p>SINGAPORE (RÖDER PARTNER) 17 SebSat pte Ltd. Sebening Sattar Tent Events 52 Sungei Kadut Street 1, SG-729355 Singapore Fon + 65 67 76 88 70 Fax + 65 67 76 87 73 info@r-zs.com</p>	<p>UNITED KINGDOM RÖDER UK Ltd. 24 Unit 16 Earith Business Park Meadow Drove, Earith, Cambridgeshire GB-PE28 3QF, United Kingdom Fon + 44 14 87 84 08 40 Fax + 44 14 87 84 08 43 www.roderuk.com sales@roderuk.com</p>
<p>CHINA (SHANGHAI) 6 RÖDER Tent Service (Shanghai) CO., Ltd No. 3978 Hu Qingping Road, Qingpu district, CN-201703 Shanghai, China Fon + 86 21 51 09 92 28 Fax + 86 21 39 81 26 07 www.roder-china.com info@roder-china.com</p>	<p>HUNGARY 12 RÖDER GmbH Magyarországi Közvetlen Kereskedelmi, Képviselete Széchenyi tér 21-23 II/6 HU-6900 Makó, Hungary Magyarország Fon + 36 62 21 20 71 Fax + 36 62 21 20 71 www.roeder.hu info@r-zs.com</p>	<p>SLOVENIA (RÖDER PARTNER) 18 Expo Biro Ltd., Puhova 20 SL-2000 Maribor, Slovenia Fon + 38 62 48 05 80 0 Fax + 38 62 48 05 80 20 info@r-zs.com</p>	<p>USA (RÖDER PARTNER) 25 Anchor Industries Inc. 1100 Burch Dr., P.O. Box 3477 Evansville, Indiana 47733, USA Fon +1 812 8672 421 Fax +1 812 8670 547 www.anchorinc.com info@r-zs.com</p>
	<p>SPAIN (RÖDER PARTNER) 19 Foro Técnico S.L., Orient 78-84 ES-08172 St. Cugat del Valles Barcelona, Spain Tel: +34 93 544 18 60 Fax: +34 93 544 18 61 www.forotec.com info@r-zs.com</p>		

RÖDER Worldwide





**RÖDER ZELT- UND VERANSTALTUNGSSERVICE GMBH
AM LAUTENSTEIN, 63654 BÜDINGEN (GERMANY)**

**FON +49 6049 700 0
FAX +49 6049 700 339**

**INFO@R-ZS.COM
WWW.R-ZS.COM**



Mistakes, image errors, price alterations, technical modifications
and dimension discrepancies reserved.