

THOR

1977-2017

MAGIKA
M... UNIVERSAL



UNA SOLA MACCHINA... PER TRE LAVORI DIVERSI
 ONLY ONE MACHINE... FOR THREE DIFFERENT TASKS
 DREI VERSCHIEDENE ARBEITSVORGÄNGE... NUR EIN GERÄT



16-18 TON



1 TAGLIA
CUT
SCHNEIDEN







2 SPACCA
SPLIT
SPALTEN



3 CARICA
LOAD
VERLADEN



Kombi machine cut, split and load 	Magika Universal	Magika Universal	Magika Universal
Code model	MRF.38.200	M.38.202	M.38.203
Power supply VS = petrol engine, V.PF = tractor EL = electric motor, PD = double pump	VS Subaru / ROAD	V.PF 450 rpm	KOMBI: V.PF 450 rpm + EL 400 Volt PD
Power required and supplied (Hp/kW)	22 / 16,2	50 / 37	50 / 37 + 7,5 / 5,5
Hourly consumption (lt./h – kW/h)	6 Benzin	?	5,5 kW
Manual controls for cutting and splitting	●	●	●
Splitting force (Ton)	16	18	16
Working pressure (bar)	250	280	250
Pushing hydraulic cylinder ø 90 x rod ø 60 x stroke 650 mm	●	●	●
1st splitting speed (cm/sec - Ton)	6,5 ~ / 16	7,9 ~ / 18	7,9 ~ / 16
2nd splitting speed (cm/sec - Ton)	14 ~ / 7	18 ~ / 8	18 ~ / 7
Return speed (cm/sec)	11,50 ~	14 ~	14 ~
Max. cutting diameter (cm)	38	38	38
Chainsaw	16" - 40 cm	16" - 40 cm	16" - 40 cm
Mounted cutting chain (type)	3,25" x 68 links	3,25" x 68 links	3,25" x 68 links
Chain speed (m/s)	9 ~	9 ~	9 ~
Automatic chain lubrication every cycle	●	●	●
Hydraulic splitting length (cm)	25 > 50	25 > 50	25 > 50
Automatic hydraulic collet for blocking logs (for dia. cm)	5 > 38	5 > 38	5 > 38
Hydraulic pump S = single pump PD = double pump	S x lt. 25	S x lt. 30	S x lt. 30 / PD x lt. 30
Chain oil tank capacity (lt.)	3,5	3,5	3,5
Hydraulic oil tank + hydraulik system capacity (lt.)	40	40	40
Hydraulic outlets ½ "f. (N° 2 mounted on the rear side)	●	●	●
Adjustable 2 or 4-blade cutter	●	●	●
Hydraulic adjustment for 2 – 4 blade or 2 – 6 blade cutter	●	●	●
Feeding board and working high from ground (cm)	80 ~	70 ~	70 ~
Hydraulic swinging table for rollover logs to be splitted	●	●	●
Hydraulic logs advancement with conveyor belt + rollers, foldable	●	●	●
3-point connector 1st – 2nd cat. with PTO pump 450/rpm.	□	●	●
Axle with elastic suspensions and pneumatic wheels 165-70-R13	● (x 80 km/h)	□	□
Axle with suspensions for maximum capacity 1350 kg.	●	□	□
Drawbar with 50 dia. coupling ball and repulsion brake	● (x 80 km/h)	□	□
Stationary handbrake	●	□	□
Lights set, bar + lights, for road transport, removable	●	* 400.112.K	* 400.112.K
Transport dimensions (AxBxH cm) with conveyor belt 815.203.K	230 x 135 x h. 250	230 x 150 x h. 250	230 x 150 x h. 250
Total weight with conveyor belt 815.203.K	1.200 Kg	1.060 Kg	1.110 Kg
Conveyor belt mt 2,50 x 0,30 (code 815.203.K)	●	*	*
Lifting hook (code 845.201.KM)	*	*	*
Log loading deck mt. 2 x 1.50 with wheels (code 815.204.K)	*	*	*
Hydraulic hoist (code 815.178.K)	*	*	*
Digital hour counter (code 400.113.K)	●	●	●
List price incl. VAT (€)			



Allestimenti e applicazioni, di serie e optional, per taglia-spacca-carica combinata 16/18 Ton


Equipment parts and accessories, standard and optional, for kombi cut-split-load machine 16/18 Ton

Ausrüstungsteile und Einsatzzubehör, serienmäßig und auf Sonderwunsch, für Brennholzsägespaltmaschine 16 / 18 Ton

Codice accessori/ Descrizione	Accessories code / Description	Zubehör Artikel-Nr. / Beschreibung	Modello / Ton	Model / Ton	Modell / Ton	Prezzo di listino Price list Listenpreis
			MRF.38.200 16 Ton	M.38.202 18 Ton	M.38.203 16 Ton	
845.201.KM Tiratronchi con supporto	845.201.KM Lifting hook with support	845.201.KM Handsappie (mit Halterung)	*	*	*	€
815.202.K Estensione banco vibrante	815.202.K Vibrating table extension	815.202.K Hintere Sammelauflagen mit Rüttler	□	*	*	€
815.203.K Nastro trasportatore mt. 2,5 x 0,30	815.203.K Conveyor belt mt. 2,5 x 0,30	815.203.K Förderband mt. 2,5 x 0,30	●	*	*	€
815.226.K Nastro trasportatore mt. 4 x 0,25	815.226.K Conveyor belt mt. 4 x 0,25	815.226.K Förderband mt. 4 x 0,25	□	*	*	€
815.227.K Nastro trasportatore mt. 5 x 0,25	815.227.K Conveyor belt mt. 5 x 0,25	815.227.K Förderband mt. 5 x 0,25	□	*	*	€
815.006 Coltello 2-4 tagli	815.006 2 or 4 blade cutter	815.006 Zwei- und Vierkant-Spaltkeil	●	●	●	€
815.079 Coltello 2-6 tagli	815.079 2 or 6 blade cutter	815.079 Zwei- und Sechskant-Spaltkeil	*	*	*	€
815.204.K Pianale di carico con ruote	815.204.K Log loading deck with wheels	815.204.K Holz-Zuführbock + Räder + Deichsel	*	*	*	€
815.178.K Sollevatronchi idraulico	815.178.K Hydraulic hoist	815.178.K Hydraulischer Stammheber	*	*	*	€
200.220 Ruota di scorta con supporto	200.220 Spare tire with holder	200.220 Ersatzrad mit Halterung	*	□	□	€
400.112.K Barra luci	400.112.K Lights set	400.112.K Satz Scheinwerfer	●	*	*	€

□ = NON DISPONIBILE / NOT AVAILABLE / NICHT LIEFERBAR * = OPTIONAL SU RICHIESTA / OPTIONAL UPON REQUEST / SONDERZUBEHÖR AUF ANFRAGE ● = INCLUSO DI SERIE / INCLUDED AS STANDARD / SERIENMÄSSIG BEIGESTELLT

ACCESSORI | ACCESSORIES | SONDERZUBEHÖR




Pianale di carico con ruote
Log transfer deck with wheels
Holz-Zuführbock mit Rädern

815.204.K



Sollevatronchi idraulico
Hydraulic log lift
Hydraulischer Stammheber

815.178.K



Nastro trasportatore
Conveyor belt
Förderband

815.203.K


815.226.K

815.227.K



Barra luci
Lights set
Satz Scheinwerfer

400.112.K




Coltello 2-6 tagli
2-6 blades cutter
Zwei- und Sechskant-Spaltkeil

815.079



Ruota di scorta
Spare tire
Ersatzrad

200.220



Barra di taglio 16"
Chainsaw 16"
Sägeschwert 16"

700.313



Catena di taglio 3,25"
Cutting chain 3,25"
Kette 3,25"

700.317

WWW.THOR-ITALY.COM



Seguici su / Follow us on / Folgt uns auf:



Code 100.455



RICCA ANDREA & C. SNC

Via Vecchia di Cuneo 57, 12022 Busca (CN), Italy

P.iva 00529460040

Tel. (+39) 0171.946709 - Fax (+39) 0171.946719

vendite@thor-italy.com - www.thor-italy.com