


Characteristics



- HEPA filter with an efficiency of 99.995% at 0.3 micron. Tested IEST-RP-CC001. H14 by MPPS method as per EN 1822 and OSHA compliant. All of our HEPA vacuum systems are aerosol leak tested before leaving our facility - optional
- ULPA filter with an efficiency of 99.999% at 0.12 micron. Filtration efficiency of 99.9995% at 0.18 micron. Tested IEST-RP-CC001. U15 by MPPS method as per EN 1822. All of our ULPA vacuum systems are aerosol leak tested before leaving our facility - optional
- Cleanroom compatible with ISO Class 4 (former Class 10)
- Designed to be attached to process machines and for general cleanup in the Food industry
- Can also be used for the recovery of tablets in the Pharmaceutical industry
- Continuous duty single phase or 3-phase motor mounted vertically
- Available in a fixed or mobile unit
- For dry recovery only
- Heavy duty white powder coated construction
- Available in all stainless steel, or half stainless steel and half white powder coated
- Vertical mounting for areas with space constraints
- 4 wheels for easy maneuverability

Specifications

| CD-1501 CR (STD) WHITE LINE | 110985B1 | 110985B3 |
|---|-------------------------------|-------------------------------|
| Model Name | CD-1501 CR (STD) - WHITE LINE | CD-1501 CR (STD) - WHITE LINE |
| Type (Powerhead) | Electric | Electric |
| TEFC Motor | Yes | Yes |
| Tension | 400 V | 230 V |
| Frequency | 50 Hz | 50 Hz |
| Phase | Three | Single |
| Wattage | 1750 W | 1750 W |
| Power | 1.7 kW | 1.7 kW |
| Amperage | 3 A | 9 A |
| Air Flow | 238 m ³ /h | 238 m ³ /h |
| Vacuum Pressure | 2820+ mm H ₂ O | 2820+ mm H ₂ O |
| VRV Setting | 2795 mm H ₂ O | 2795 mm H ₂ O |
| Sound Level | 64 dB(A) | 64 dB(A) |
| Type of Power Outlet | Not Included | Not Included |
| Suction Inlet | 50 mm | 50 mm |
| Cart Type | Carriage Base (CB) | Carriage Base (CB) |
| Filter Cleaning | None | None |
| Dust Recovery Tank | 28.4 L | 28.4 L |
| Dry Recovery - Disposable Filter Bag | 15 L | 15 L |
| Length | 34 cm | 34 cm |
| Width | 50 cm | 50 cm |
| Height | 109 cm | 109 cm |
| Weight (Vacuum Only) | 51.5 kg. | 51.5 kg. |
| Cord Length | 10 m | 10 m |

Please note that specifications are subject to change without notice

Use only recommended tools & accessories



Tools and Accessories (Toolkit 4B) - Optional