

**GESTO**



**GESTO TAMBUR MOTOR**  
**GESTO DRUM MOTORS**



### Kullanım Alanları

- Yüksek performanslı her türlü konveyör
- Kırma ve eleme uygulamaları
- Taş ocağı ve maden uygulamaları
- Tarım tesisleri
- Geri dönüşüm tesisleri
- Kömür ve çelik işletmeleri
- Beton ve çimento tesisleri
- Asfalt tesisleri

### Özellikler



- Asenkron sincap kafes motor
- Mesnetleme braketleri
- Sertleştirilmiş çelik dişliler
- Bakım gerektirmez
- Frekans konvertörü uyumlu
- 3 Fazlı AC endüksiyon motor
- Dual voltaj
- Güçlü tandem sızdırmazlık
- Düşük ses
- İsteğe bağlı farklı opsiyonlar\*

### Application Areas

- High duty applications
- Recycling plants
- Mining applications
- Asphalt plants
- Agricultural plants
- Coal and steel plants
- Mobile crushing & screening
- Concrete and cement plants

### Features

- Asynchronous squirrel cage motor
- Mounting brackets
- Hardened steel
- Maintenance free
- Frequency convertor compatibility
- 3 Phase AC induction
- Dual voltage
- Double lipped tandem sealing
- Low noise
- Various options on request\*



\* Farklı ölçü istekleriniz için GESTO'ya danışınız.  
For non-standard dimension requests contact GESTO.

### Ürün Tipleri | Product Selection Table

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
55	4,00	4050	13063	123
	3,20	5062	16329	99
	2,50	6479	20902	77
	2,00	8099	26127	62
	1,60	10124	32659	49
45	4,00	3313	10688	123
	3,20	4142	13360	99
	2,50	5301	17101	77
	2,00	6627	21377	62
	1,60	8283	26721	49
37	4,00	2724	8788	123
	3,20	3405	10985	99
	2,50	4359	14061	77
	2,00	5449	17576	62
	1,60	6811	21970	49
30	4,00	2209	7126	123
	3,20	2761	8907	99
	2,50	3534	11401	77
	2,00	4418	14251	62
	1,60	5522	17814	49
22	4,00	1620	5225	123
	3,20	2025	6532	99
	2,50	2592	8361	77
	2,00	3240	10451	62
	1,60	4050	13063	49
1,30	4984	16078	40	
1,00	6479	20902	31	

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
18,5	4,00	1362	4394	123
	3,20	1703	5493	99
	2,50	2179	7031	77
	2,00	2724	8788	62
	1,60	3405	10985	49
	1,30	4191	13520	40
	1,00	5449	17576	31
15	4,00	1104	3563	123
	3,20	1381	4453	99
	2,50	1767	5700	77
	2,00	2209	7126	62
	1,60	2761	8907	49
	1,30	3398	10962	40
	1,10	4016	12955	34
	1,00	4418	14251	31
	0,90	4909	15834	28
	0,70	6311	20359	22
11	0,60	7363	23752	18
	4,00	810	2613	123
	3,20	1012	3266	99
	2,50	1296	4180	77
	2,00	1620	5225	62
	1,60	2025	6532	49
	1,30	2492	8039	40
	1,10	2945	9501	34
	1,00	3240	10451	31
	0,90	3600	11612	28
	0,70	4628	14930	22
0,60	5400	17418	18	

P (kW)	V (m/s)	M (Nm)	F (N)	n (1/min)
7,5	4,00	552	1781	123
	3,20	690	2227	99
	2,50	884	2850	77
	2,00	1104	3563	62
	1,60	1381	4453	49
	1,30	1699	5481	40
	1,10	2008	6478	34
	1,00	2209	7126	31
	0,90	2454	7917	28
5,5	0,70	3156	10179	22
	0,60	3682	11876	18
	4,00	405	1306	123
	3,20	506	1633	99
	2,50	648	2090	77
	2,00	810	2613	62
	1,60	1012	3266	49
	1,30	1246	4020	40
	1,10	1473	4750	34
	1,00	1620	5225	31
	0,90	1800	5806	28
0,70	2314	7465	22	
0,60	2700	8709	18	

P (kW) | Güç  
Power

V (m/s) | Bant Hızı  
Belt Speed

F (N) | Bant Çekiş Gücü  
Belt Pull Force

M (Nm) | Moment  
Moment


n (1/min) | Devir  
Revolution

# GESTO

[www.gesto.com.tr](http://www.gesto.com.tr)

A | Ofis: Ziya Gökalp Mah. Süleyman Demirel Blv. Mall of İstanbul No: 7 E / 136 Başakşehir / İstanbul / Türkiye  
Showroom ve Ürün Geliştirme Merkezi: İkitelli Org. San. Bölgesi ATATÜRK  
Bulvarı Cabani İş Merkezi No: 82 No: 2 Başakşehir / İstanbul / Türkiye  
T | +90 212 982 8696  
@ | [info@gesto.com.tr](mailto:info@gesto.com.tr)

[www.gesto.com.tr](http://www.gesto.com.tr)



GESTO TAMBURLU MOTOR  
GESTO DRUM MOTORS