

Quote # :2012031601-Cojet Plus

G.E.L INK SARL

SPECIAL PRICE DRUPPA SINCE JULY

ANDERSON (Head office)

7F, No. 72, Sung Chiang Rd.,
Taipei, Taiwan
Tel.: +886 (0)2 2523-7866
Fax: +886 (0)2 2523-6886

ANDERSON (Factory)

No. 1498, Chung Hua Rd.,
Hou-Lung, Miao-Li, Taiwan
Tel.: +886 (0)37 726876
Fax: +886 (0)37 727727

ANDERSON (PCB Division.)

8F-1, No.99, Sec. 1.
Nan-Kan Rd., Luchu,
Taoyuan, Taiwan
Tel.: +886 (0)3 311-4366
Fax: +886 (0)3 311-4333

ANDERSON TAIWAN

No.33, Jing 2nd Rd., Wuci Town
Taichung County, Taiwan
Tel. : +886 (0)4 26595866
Fax : +886 (0)4 26593199

ANDERSON AMERICA

10710 Southern Loop Boulevard,
Charlotte, NC 28134 USA
Tel.: +1 (0)704 522-1823
Fax: +1 (0)704 522-0871

ANDERSON EUROPE

Am Oberen Feld 5
D-32758 Detmold
Germany
Tel. : +49 (0)-5231-9663-0
Fax : +49 (0)-5231-9663-11

ANDERSON SINGAPORE

BLK459 PASIR RIS RD-4
#10-257(S)510459, Singapore
Tel.: +65 5840749
Fax: +65 5814828

ANDERSON CHINA

No.648, Fang-Ta North Road,
Songjiang County,
Shanghai, China
Tel.: +86 (0)21 5774 3650
Fax: +86 (0)21 5774 3656

on

ONE (1) ANDERSON DPC

7 Color

8 Printing Heads

純平台式 UV 噴繪機

MODEL: CoJet Plus 2612(C7H8)



Quote # :2012031601-Cojet Plus

Basic Specification/基本規格

1. Working table/工作檯面:

- 2,630 x 1,360 mm
- Maximum thickness of workpiece is 100mm
工件最高厚度為 100mm
- Material of table top is hard phenolic without grooves
檯面為高壓面板；無溝槽形式
- Flatbed with gantry moving
機械為平臺面動柱移動形式
- (6) Six suction zones controlled by switch button
六區吸著由切換按鈕控制

2. Printing area/列印範圍:

- Maximum Width = 2,550mm
- Maximum Length = 1,250mm

3. Highest resolution/最高解析度:

- 1440 x 720 dpi

4. Printing Speed/噴印速度:

- 720 x 720 dpi up to 12'30" one table equivalent to 28 m²/hr
720 x 720 dpi 最快 12'30"完成 1 個台面相當於 28 m²/hr
- 1080 x 720 dpi up to 18'65" one table equivalent to 21 m²/hr
1080 x 720 dpi 最快 18'65"完成 1 個台面相當於 21 m²/hr
- 1440 x 720 dpi up to 25' one table equivalent to 14 m²/hr
1440 x 720 dpi 最快 25'完成 1 個台面相當於 14 m²/hr

The Printing Speed may different with different printing area
不同的噴印面積速度將會有所差異

5. Print Heads/噴墨頭組:

ANDERSON (Head office)

7F, No. 72, Sung Chiang Rd.,
Taipei, Taiwan
Tel.: +886 (0)2 2523-7866
Fax: +886 (0)2 2523-6886

ANDERSON (Factory)

No. 1498, Chung Hua Rd.,
Hou-Lung, Miaoli, Taiwan
Tel.: +886 (0)37 726876
Fax: +886 (0)37 727727

ANDERSON (PCB Division.)

8F-1, No.99, Sec. 1,
Nan-Kan Rd., Luchu,
Taoyuan, Taiwan
Tel.: +886 (0)3 311-4366
Fax: +886 (0)3 311-4333

ANDERSON TAIWAN

No.33, Jing 2nd Rd., Wuci Town
Taichung County, Taiwan
Tel. : +886 (0)4 26595866
Fax : +886 (0)4 26593199

ANDERSON AMERICA

10710 Southern Loop Boulevard,
Charlotte, NC 28134 USA
Tel.: +1 (0)704 522-1823
Fax: +1 (0)704 522-0871

ANDERSON EUROPE

Am Oberen Feld 5
D-32758 Detmold
Germany
Tel. : +49 (0)-5231-9663-0
Fax : +49 (0)-5231-9663-11

ANDERSON SINGAPORE

BLK459 PASIR RIS RD-4
#10-257(S)510459, Singapore
Tel.: +65 5840749
Fax: +65 5814828

ANDERSON CHINA

No.648, Fang-Ta North Road,
Songjiang County,
Shanghai, China
Tel.: +86 (0)21 5774 3650
Fax: +86 (0)21 5774 3656

Quote # :2012031601-Cojet Plus

- Piezo Drop-On-Demand InkJet head; 1024 nozzles
壓電式 DOD 噴頭; 配備 1024 個噴嘴
- Drop volume: 14pl
墨點大小: 14pl
- 8 heads included with 2 line arrangement (6x4)
八顆噴頭呈兩列 6x4 排列
- Pre-wiring for 2 more print heads
預留兩組墨管及線路
- Ink type: UV curable
墨水形式: UV 固化
- Ink color arrangement: Black, Cyan, Magenta, Yellow, Light Cyan, Light Magenta, White, White
墨水顏色排列: 黑色、青綠色、洋紅色、黃色、淡青綠色、淡洋紅色、白色、白色

ANDERSON (Head office)

7F, No. 72, Sung Chiang Rd.,
Taipei, Taiwan
Tel.: +886 (0)2 2523-7866
Fax: +886 (0)2 2523-6886

ANDERSON (Factory)

No. 1498, Chung Hua Rd.,
Hou-Lung, Miaoli, Taiwan
Tel.: +886 (0)37 726876
Fax: +886 (0)37 727727

ANDERSON (PCB Division.)

8F-1, No.99, Sec. 1,
Nan-Kan Rd., Luchu,
Taoyuan, Taiwan
Tel.: +886 (0)3 311-4366
Fax: +886 (0)3 311-4333

ANDERSON TAIWAN

No.33, Jing 2nd Rd., Wuci Town
Taichung County, Taiwan
Tel. : +886 (0)4 26595866
Fax : +886 (0)4 26593199

ANDERSON AMERICA

10710 Southern Loop Boulevard,
Charlotte, NC 28134 USA
Tel.: +1 (0)704 522-1823
Fax: +1 (0)704 522-0871

ANDERSON EUROPE

Am Oberen Feld 5
D-32758 Detmold
Germany
Tel. : +49 (0)-5231-9663-0
Fax : +49 (0)-5231-9663-11

ANDERSON SINGAPORE

BLK459 PASIR RIS RD-4
#10-257(S)510459, Singapore
Tel.: +65 5840749
Fax: +65 5814828

ANDERSON CHINA

No.648, Fang-Ta North Road,
Songjiang County,
Shanghai, China
Tel.: +86 (0)21 5774 3650
Fax: +86 (0)21 5774 3656

6. Controller/控制器:

- DPC InkJet control system for CoJet, Windows CE operation system
CoJet 專用 DPC 噴墨控制系統, Windows CE 作業系統
- RIP software: ONYX Production House DPC CoJet Edition
軟體

7. Vacuum system/真空吸著系統:

- Vacuum Pump: (1) one 4HP (3KW)

8. Environment Required/環境需求:

- Floor area: 4,600 X 3,750 mm
佔地面積: 4,600 X 3,750 mm
- Machine height: 2,000 mm
機械高度: 2,000 mm
- Machine weight: 2,000 kg
機械重量: 2,000 kg
- Compressed Air requirement: 5kg/cm , 10L/min
空壓需求
- Recommended environmental temp: Celsius 15 - 30 degrees

Quote # :2012031601-Cojet Plus

建議環境溫度

- Power requirement: 380V, 50/60 Hz, 18A, 3Phase

電力需求

- **Note:** If the operation Voltage of +/- 5% cannot be maintained, a voltage stabilizer will have to be installed at customer's expense.

註：若是當地操作電壓無法維持在 +/-5%內,則客戶必須提供穩壓器設施

ANDERSON (Head office)

7F, No. 72, Sung Chiang Rd.,
Taipei, Taiwan
Tel.: +886 (0)2 2523-7866
Fax: +886 (0)2 2523-6886

ANDERSON (Factory)

No. 1498, Chung Hua Rd.,
Hou-Lung, Miaoli, Taiwan
Tel.: +886 (0)37 726876
Fax: +886 (0)37 727727

ANDERSON (PCB Division.)

8F-1, No.99, Sec. 1,
Nan-Kan Rd., Luchu,
Taoyuan, Taiwan
Tel.: +886 (0)3 311-4366
Fax: +886 (0)3 311-4333

ANDERSON TAIWAN

No.33, Jing 2nd Rd., Wuci Town
Taichung County, Taiwan
Tel. : +886 (0)4 26595866
Fax : +886 (0)4 26593199

ANDERSON AMERICA

10710 Southern Loop Boulevard,
Charlotte, NC 28134 USA
Tel.: +1 (0)704 522-1823
Fax: +1 (0)704 522-0871

ANDERSON EUROPE

Am Oberen Feld 5
D-32758 Detmold
Germany
Tel. : +49 (0)-5231-9663-0
Fax : +49 (0)-5231-9663-11

ANDERSON SINGAPORE

BLK459 PASIR RIS RD-4
#10-257(S)510459, Singapore
Tel.: +65 5840749
Fax: +65 5814828

ANDERSON CHINA

No.648, Fang-Ta North Road,
Songjiang County,
Shanghai, China
Tel.: +86 (0)21 5774 3650
Fax: +86 (0)21 5774 3656

9. Miscellaneous/其他:

- Reference point on the front right hand corner

原點位置為右下角

- Machine color: Standard ANDI color

機械顏色: 標準恩德色

- 1L of each Ink color and cleaner will be provided with machine

1L 各色墨水以及清潔液為隨機配備

- Overflow Tank is included

爆墨處理瓶為標準配備

- Flush Line function is included

半自動墨頭清洗功能為標準配備

- Emergency stop immediately function is included

緊急立即停止功能為標準配備

- Sensor protection for print heads is included

噴頭防撞機構為標準配備

10. Price and Terms/售價及交易條款:

- **NET PRICE: EUROS 115000 - FOB Taiwan.**

- 30% deposit by T/T when place the purchase order

下訂單時需匯款訂金 30%

- 70% : T/T at time Anderson Industrial Corp. notifies Customer that the machine is ready for delivery FOB Taiwan.

尾款 70%需於恩德科技股份有限公司通知客戶機械已經完成,並準備出機前完成匯款後出機.

11. Delivery/交期:

Quote # :2012031601-Cojet Plus

Typical shipment will be approx 4-8 weeks after Anderson factory's receipt of initial deposit and this Proposal signed by Customer. Shipment is subject to delay should changes be made to the machine after the initial order.

交期為 4~8 週起算至恩德公司收到此份合約簽回以及付款,若是有任何訂單修改將會影響交期

12. Insurance/保險:

The above price is **not** included insurance on the machine from Taiwan Port to the customer's door. The customer is responsible to insure the machinery from this point until full performance and all financial obligations to customer have been met.

以上所提售價並不包含從台灣港口至客戶指定目的地的保險費用,客戶應當負責從此點起算到機台完成裝機教學之保險責任

13. Warranty/保固:

- One year after machine installation
機械自裝機日起算一年保固
- Print heads: 6 months
噴頭六個月保固期

14. Installation & Training/裝機教學:

- The above price not includes machine installation and basic training by Anderson Industrial Corp.
以上報價不含恩德科技股份有限公司技術人員裝機教學費用。
- Operator Training to include classroom and hands-on operations that will teach operator set-up procedures, production techniques and safe operation. This portion of the training will also be repeated during the equipment installation phase.
操作人員訓練: 包含機台安裝程序,生產機台操作以及安全使用程序。
- Maintenance Training will be conducted during the installation of the machine. The operator(s) and/or maintenance personnel will receive comprehensive information on preventive maintenance and trouble-shooting.
保養訓練: 於裝機時將會訓練操作人員或是負責機台保養的人員如何保養機械以及故障排除。
- Control Training, conducted during machine installation, will teach operator(s) the programming procedures and techniques on the PC based controller.
控制訓練: 針對控制器部分,會於裝機過程時訓練操作員如何設定以及操作控制機台。
- Note: Once the necessary electrical and pneumatic services have been provided

ANDERSON (Head office)

7F, No. 72, Sung Chiang Rd.,
Taipei, Taiwan
Tel.: +886 (0)2 2523-7866
Fax: +886 (0)2 2523-6886

ANDERSON (Factory)

No. 1498, Chung Hua Rd.,
Hou-Lung, Miaoli, Taiwan
Tel.: +886 (0)37 726876
Fax: +886 (0)37 727727

ANDERSON (PCB Division.)

8F-1, No.99, Sec. 1,
Nan-Kan Rd., Luchu,
Taoyuan, Taiwan
Tel.: +886 (0)3 311-4366
Fax: +886 (0)3 311-4333

ANDERSON TAIWAN

No.33, Jing 2nd Rd., Wuci Town
Taichung County, Taiwan
Tel. : +886 (0)4 26595866
Fax : +886 (0)4 26593199

ANDERSON AMERICA

10710 Southern Loop Boulevard,
Charlotte, NC 28134 USA
Tel.: +1 (0)704 522-1823
Fax: +1 (0)704 522-0871

ANDERSON EUROPE

Am Oberen Feld 5
D-32758 Detmold
Germany
Tel. : +49 (0)-5231-9663-0
Fax : +49 (0)-5231-9663-11

ANDERSON SINGAPORE

BLK459 PASIR RIS RD-4
#10-257(S)510459, Singapore
Tel.: +65 5840749
Fax: +65 5814828

ANDERSON CHINA

No.648, Fang-Ta North Road,
Songjiang County,
Shanghai, China
Tel.: +86 (0)21 5774 3650
Fax: +86 (0)21 5774 3650

Quote # :2012031601-Cojet Plus

and the machine is in a "ready-to-run" state on the customers floor, an Anderson Industrial Corp. technician will test run the machine and provide a "refresher course" for operator training for the person(s) who are to operate and maintain the machine.

註：必要的電源以及氣源準備完全，且機械設備於客戶廠房為準備試車的狀態，恩德科技股份有限公司的技術人員將會開始試車，並準備教學課程進行客戶操作人員之訓練課程。

- Installation is to be understood as the assembly of the machine to "ready-to-run" state.
裝機的定義為將機械安裝至可以試車的狀態。
- This does not include preparation of the site/floor or the running of electrical, pneumatic services to the site.
這並不包含客戶廠房如氣壓源或電源的準備工作。
- The customer is responsible for all necessary electrical, pneumatic hook-ups to the machine.
客戶必須將機械所需的電源以及氣壓源等接線完成至機台。
- Anderson Industrial Corp. does not assume any responsibility for the off-loading and positioning by crane, fork lift or other means.
恩德科技股份有限公司並不負責任何客戶端的貨品卸貨以及機械定位等事項。

Validity

This Proposal and Anderson Industrial Corp.'s offer to sell is valid for a period of 30 days from the date herein, and a contract to sell on the terms of this Proposal shall be effective upon receipt by Anderson Industrial Corp. of this Proposal signed by Customer. Upon Customer's signing this Proposal, the references to Proposal shall mean Contract.

此份報價單僅 30 天內有效於今日起算，並且交易條款金額皆以此份報價單由客戶簽回後生效

Offered By:

Aron Hu

Accepted By:

G.E.L INK SARL

Anderson Industrial Corp.

Date : 16 / March / 2012

Date :

ANDERSON (Head office)

7F, No. 72, Sung Chiang Rd.,
Taipei, Taiwan
Tel.: +886 (0)2 2523-7866
Fax: +886 (0)2 2523-6886

ANDERSON (Factory)

No. 1498, Chung Hua Rd.,
Hou-Lung, Miao-Li, Taiwan
Tel.: +886 (0)37 726876
Fax: +886 (0)37 727727

ANDERSON (PCB Division.)

8F-1, No.99, Sec. 1,
Nan-Kan Rd., Luchu,
Taoyuan, Taiwan
Tel.: +886 (0)3 311-4366
Fax: +886 (0)3 311-4333

ANDERSON TAIWAN

No.33, Jing 2nd Rd., Wuci Town
Taichung County, Taiwan
Tel. : +886 (0)4 26595866
Fax : +886 (0)4 26593199

ANDERSON AMERICA

10710 Southern Loop Boulevard,
Charlotte, NC 28134 USA
Tel.: +1 (0)704 522-1823
Fax: +1 (0)704 522-0871

ANDERSON EUROPE

Am Oberen Feld 5
D-32758 Detmold
Germany
Tel. : +49 (0)-5231-9663-0
Fax : +49 (0)-5231-9663-11

ANDERSON SINGAPORE

BLK459 PASIR RIS RD-4
#10-257(S)510459, Singapore
Tel.: +65 5840749
Fax: +65 5814828

ANDERSON CHINA

No.648, Fang-Ta North Road,
Songjiang County,
Shanghai, China
Tel.: +86 (0)21 5774 3650
Fax: +86 (0)21 5774 3656

Quote # :2012031601-Cojet Plus

ANDERSON (Head office)

7F, No. 72, Sung Chiang Rd.,
Taipei, Taiwan
Tel.: +886 (0)2 2523-7866
Fax: +886 (0)2 2523-6886

ANDERSON (Factory)

No. 1498, Chung Hua Rd.,
Hou-Lung, Miao-Li, Taiwan
Tel.: +886 (0)37 726876
Fax: +886 (0)37 727727

ANDERSON (PCB Division.)

8F-1, No.99, Sec. 1.
Nan-Kan Rd., Luchu,
Taoyuan, Taiwan
Tel.: +886 (0)3 311-4366
Fax: +886 (0)3 311-4333

ANDERSON TAIWAN

No.33, Jing 2nd Rd., Wuci Town
Taichung County, Taiwan
Tel. : +886 (0)4 26595866
Fax : +886 (0)4 26593199

ANDERSON AMERICA

10710 Southern Loop Boulevard,
Charlotte, NC 28134 USA
Tel.: +1 (0)704 522-1823
Fax: +1 (0)704 522-0871

ANDERSON EUROPE

Am Oberen Feld 5
D-32758 Detmold
Germany
Tel. : +49 (0)-5231-9663-0
Fax : +49 (0)-5231-9663-11

ANDERSON SINGAPORE

BLK459 PASIR RIS RD-4
#10-257(S)510459, Singapore
Tel.: +65 5840749
Fax: +65 5814828

ANDERSON CHINA

No.648, Fang-Ta North Road,
Songjiang County,
Shanghai, China
Tel.: +86 (0)21 5774 3650
Fax: +86 (0)21 5774 3656