




Nylon Cable Tie  E 97527  E-4988  14515-99HH 


Material Specification: Natural Nylon: KSS standard cable ties made from U.L. approved nylon 6/6. Normal service temperature range: -40°C to 85°C.


Flammability rating: UL 94V-2. Black Nylon: (Material and tempature as above)

Except in black colour. For your order please add "B" to standard item no. i.e.CV-075B. Weather Resistant Nylon(ULTRA VIOLET): Carbonate "A" was added for greater resistance to ultra violet light in outdoor application. For your order, please add "W" to standard item no. i.e. CV-075W Heat Stabilized Nylon: Service temp. 135°C Specification: Made to comply with mil-spec drawing no. MS-3367 tensile strength meets or exceeds MIL-S-23190E standard



Part N° 100 pcs	Part N° 1000pcs	Part N° 100 pcs	Part N° 1000 pcs	Dimensions L x W	Ø Max. Bundle mm.	Min Tensile Strength Kg
<input type="checkbox"/> CV-075	<input type="checkbox"/> CV-075K	<input checked="" type="checkbox"/> CV-075B	<input checked="" type="checkbox"/> CV-075BK	75 x 2.4	18	8
<input type="checkbox"/> CV-080	<input type="checkbox"/> CV-080K	<input checked="" type="checkbox"/> CV-080B	<input checked="" type="checkbox"/> CV-080BK	80 x 2.5	19	8
<input type="checkbox"/> CV-094	<input type="checkbox"/> CV-094K	<input checked="" type="checkbox"/> CV-094B	<input checked="" type="checkbox"/> CV-094BK	96 x 2.5	23	8
<input type="checkbox"/> CV-100	<input type="checkbox"/> CV-100K	<input checked="" type="checkbox"/> CV-100B	<input checked="" type="checkbox"/> CV-100BK	100 x 2.5	25	8
<input type="checkbox"/> CV-120S	<input type="checkbox"/> CV-120SK	<input checked="" type="checkbox"/> CV-120SB	<input checked="" type="checkbox"/> CV-120SBK	120 x 2.5	30	8
<input type="checkbox"/> CV-140S	<input type="checkbox"/> CV-140SK	<input checked="" type="checkbox"/> CV-140SB	<input checked="" type="checkbox"/> CV-140SBK	142 x 2.5	35	8
<input type="checkbox"/> CV-150S	<input type="checkbox"/> CV-150SK	<input checked="" type="checkbox"/> CV-150SB	<input checked="" type="checkbox"/> CV-150SBK	155 x 2.5	39	8
<input type="checkbox"/> CV-165	<input type="checkbox"/> CV-165K	<input checked="" type="checkbox"/> CV-165B	<input checked="" type="checkbox"/> CV-165BK	165 x 2.5	44	8
<input type="checkbox"/> CV-200M	<input type="checkbox"/> CV-200MK	<input checked="" type="checkbox"/> CV-200MB	<input checked="" type="checkbox"/> CV-200MBK	203 x 2.5	55	8
<input type="checkbox"/> CV-400S		<input checked="" type="checkbox"/> CV-400SB		400 x 2.5	117	8
<input type="checkbox"/> CV-120	<input type="checkbox"/> CV-120K	<input checked="" type="checkbox"/> CV-120B	<input checked="" type="checkbox"/> CV-120BK	120 x 3.2	30	18
<input type="checkbox"/> CV-140	<input type="checkbox"/> CV-140K	<input checked="" type="checkbox"/> CV-140B	<input checked="" type="checkbox"/> CV-140BK	142 x 3.2	35	18
<input type="checkbox"/> CV-150	<input type="checkbox"/> CV-150K	<input checked="" type="checkbox"/> CV-150B	<input checked="" type="checkbox"/> CV-150BK	150 x 3.6	39	18
<input type="checkbox"/> CV-180	<input type="checkbox"/> CV-180K	<input checked="" type="checkbox"/> CV-180B	<input checked="" type="checkbox"/> CV-180BK	180 x 3.6	49	18
<input type="checkbox"/> CV-200S	<input type="checkbox"/> CV-200SK	<input checked="" type="checkbox"/> CV-200SB	<input checked="" type="checkbox"/> CV-200SBK	203 x 3.2	55	18
<input type="checkbox"/> CV-200A	<input type="checkbox"/> CV-200AK	<input checked="" type="checkbox"/> CV-200AB	<input checked="" type="checkbox"/> CV-200ABK	203 x 3.6	55	18
<input type="checkbox"/> CV-250M	<input type="checkbox"/> CV-250MK	<input checked="" type="checkbox"/> CV-250MB	<input checked="" type="checkbox"/> CV-250MBK	250 x 3.6	74	18
<input type="checkbox"/> CV-265	<input type="checkbox"/> CV-265K	<input checked="" type="checkbox"/> CV-265B	<input checked="" type="checkbox"/> CV-265BK	265 x 3.6	78	18

Part N° 100 pcs	Part N° 1000pcs	Part N° 100 pcs	Part N° 1000 pcs	Dimensions mm. L x W	Ø Max. Bundle mm.	Min Tensile Strength Kg
<input type="checkbox"/> CV-292	<input type="checkbox"/> CV-292K	<input type="checkbox"/> CV-292B	<input type="checkbox"/> CV-292BK	292 x 3.6	85	18
<input type="checkbox"/> CV-330		<input type="checkbox"/> CV-330B		330 x 3.6	96	18
<input type="checkbox"/> CV-368S		<input type="checkbox"/> CV-368SB		368 x 3.6	102	18
<input type="checkbox"/> CV-120L	<input type="checkbox"/> CV-120LK	<input type="checkbox"/> CV-120LB	<input type="checkbox"/> CV-120LBK	120 x 4.8	30	22
<input type="checkbox"/> CV-160L	<input type="checkbox"/> CV-160LK	<input type="checkbox"/> CV-160LB	<input type="checkbox"/> CV-160LBK	160 x 4.8	42	22
<input type="checkbox"/> CV-190	<input type="checkbox"/> CV-190K	<input type="checkbox"/> CV-190B	<input type="checkbox"/> CV-190BK	190 x 4.8	52	22
<input type="checkbox"/> CV-200	<input type="checkbox"/> CV-200K	<input type="checkbox"/> CV-200B	<input type="checkbox"/> CV-200BK	203 x 4.6	55	22
<input type="checkbox"/> CV-250	<input type="checkbox"/> CV-250K	<input type="checkbox"/> CV-250B	<input type="checkbox"/> CV-250BK	250 x 4.8	74	22
<input type="checkbox"/> CV-280	<input type="checkbox"/> CV-280K	<input type="checkbox"/> CV-280B	<input type="checkbox"/> CV-280BK	280 x 4.8	81	22
<input type="checkbox"/> CV-300S		<input type="checkbox"/> CV-300SB		300 x 4.8	85	22
<input type="checkbox"/> CV-310		<input type="checkbox"/> CV-310B		310 x 4.8	89	22
<input type="checkbox"/> CV-368		<input type="checkbox"/> CV-368B		368 x 4.8	102	22
<input type="checkbox"/> CV-385		<input type="checkbox"/> CV-385B		385 x 4.8	116	22
<input type="checkbox"/> CV-432		<input type="checkbox"/> CV-432B		432 x 4.8	125	22
<input type="checkbox"/> CV-450M		<input type="checkbox"/> CV-450MB		450 x 4.8	130	22
<input type="checkbox"/> CV-500		<input type="checkbox"/> CV-500B		500 x 4.8	150	22
<input type="checkbox"/> CV-550S		<input type="checkbox"/> CV-550SB		550 x 4.8	166	22
<input type="checkbox"/> CV-914S		<input type="checkbox"/> CV-914SB		914 x 4.8	270	22
<input type="checkbox"/> CV-120LL	<input type="checkbox"/> CV-120LLK	<input type="checkbox"/> CV-120LLB	<input type="checkbox"/> CV-120LLBK	120 x 7.6	30	55
<input type="checkbox"/> CV-150L	<input type="checkbox"/> CV-150LK	<input type="checkbox"/> CV-150LB	<input type="checkbox"/> CV-150LBK	150 x 7.6	39	55
<input type="checkbox"/> CV-200L	<input type="checkbox"/> CV-200LK	<input type="checkbox"/> CV-200LB	<input type="checkbox"/> CV-200LBK	203 x 7.6	55	55
<input type="checkbox"/> CV-240L	<input type="checkbox"/> CV-240LK	<input type="checkbox"/> CV-240LB	<input type="checkbox"/> CV-240LBK	240 x 7.6	66	55
<input type="checkbox"/> CV-280L	<input type="checkbox"/> CV-280LK	<input type="checkbox"/> CV-280LB	<input type="checkbox"/> CV-280LBK	280 x 7.6	78	55
<input type="checkbox"/> CV-300		<input type="checkbox"/> CV-300B		300 x 7.6	88	55
<input type="checkbox"/> CV-340		<input type="checkbox"/> CV-340B		340 x 7.6	99	55
<input type="checkbox"/> CV-380S		<input type="checkbox"/> CV-380SB		380 x 6.4	110	45
<input type="checkbox"/> CV-380		<input type="checkbox"/> CV-380B		380 x 7.6	110	55
<input type="checkbox"/> CV-450		<input type="checkbox"/> CV-450B		450 x 8.0	133	80
<input type="checkbox"/> CV-550		<input type="checkbox"/> CV-550B		550 x 8.0	166	80
<input type="checkbox"/> CV-610		<input type="checkbox"/> CV-610B		610 x 9.0	185	80
<input type="checkbox"/> CV-685		<input type="checkbox"/> CV-685B		685 x 9.0	210	80
<input type="checkbox"/> CV-710		<input type="checkbox"/> CV-710B		7109 x 9.0	220	80
<input type="checkbox"/> CV-762		<input type="checkbox"/> CV-762B		762 x 9.0	236	80
<input type="checkbox"/> CV-812		<input type="checkbox"/> CV-812B		812 x 9.0	246	80
<input type="checkbox"/> CV-914		<input type="checkbox"/> CV-914B		914 x 9.0	270	80
<input type="checkbox"/> CV-940		<input type="checkbox"/> CV-940B		950 x 9.0	285	80
<input type="checkbox"/> CV-1168		<input type="checkbox"/> CV-1168B		1168 x 9.0	360	80
<input type="checkbox"/> CV-1219		<input type="checkbox"/> CV-1219B		1219 x 9.0	380	80
Extra Heavy Duty Tie						
<input type="checkbox"/> CV-230XL		<input type="checkbox"/> CV-230XLB		230 x 12.7	63	114
<input type="checkbox"/> CV-280XL		<input type="checkbox"/> CV-280XLB		280 x 12.7	80	114






Part N° 100 pcs	Part N° 1000pcs	Part N° 100 pcs	Part N° 1000 pcs	Dimensions mm. L x W	Ø Max. Bundle mm.	Min Tensile Strength Kg
<input type="checkbox"/> CV-380XL		<input type="checkbox"/> CV-380XLB		380 x 12.7	110	114
<input type="checkbox"/> CV-480XL		<input type="checkbox"/> CV-480XLB		480 x 12.7	140	114
<input type="checkbox"/> CV-550XL		<input type="checkbox"/> CV-550XLB		550 x 12.7	166	114
<input type="checkbox"/> CV-580XL		<input type="checkbox"/> CV-580XLB		580 x 12.7	175	114
<input type="checkbox"/> CV-730XL		<input type="checkbox"/> CV-730XLB		730 x 12.7	225	114
<input type="checkbox"/> CV-880XL		<input type="checkbox"/> CV-880XLB		880 x 12.7	267	114
<input type="checkbox"/> CV-1030XL		<input type="checkbox"/> CV-1030XLB		1030 x 12.7	317	114
<input type="checkbox"/> CV-255XXL		<input type="checkbox"/> CV-255XXLB		253 x 17.8	44	55

Ordering information:

Material	Item No.	Suffix	Pcs/Bag	Material	Item No.	Suffix	Pcs/Bag
NYLON 66 (NATURAL)	CV-100	--	K	NYLON 66 (HEAT STABILIZED)	CV-100	HS	K
NYLON 66 (BLACK)	CV-100	B	K	NYLON 66 (FLAME RETARDANT)	CV-100	VO	K
NYLON 66 (WEATHER RESISTANT BLACK)	CV-100	W	K	NYLON 12	CV-100	N12	K

Colour Nylon Cable Tie E 97527 E-4988 14515-99HH



Part N°	Dimensions mm. L x W	Ø Max Bundle mm.	Min Tensile Strength	
<input type="checkbox"/> CV-100-2	100 x 2.5	25	8	1.000
<input type="checkbox"/> CV-100-3	100 x 2.5	25	8	1.000
<input type="checkbox"/> CV-100-4	100 x 2.5	25	8	1.000
<input type="checkbox"/> CV-100-5	100 x 2.5	25	8	1.000
<input type="checkbox"/> CV-100-6	100 x 2.5	25	8	1.000
<input type="checkbox"/> CV-100-7	100 x 2.5	25	8	1.000
<input type="checkbox"/> CV-100-8	100 x 2.5	25	8	1.000
<input type="checkbox"/> CV-100-9	100 x 2.5	25	8	1.000
<input type="checkbox"/> CV-140S-2	142 x 3.2	35	18	100
<input type="checkbox"/> CV-140S-3	142 x 3.2	35	18	100
<input type="checkbox"/> CV-140S-6	142 x 3.2	35	18	100
<input type="checkbox"/> CV-140S-8	142 x 3.2	35	18	100
<input type="checkbox"/> CV-200S-2	203 x 2.5	55	8	100
<input type="checkbox"/> CV-200S-3	203 x 2.5	55	8	100
<input type="checkbox"/> CV-200S-6	203 x 2.5	55	8	100
<input type="checkbox"/> CV-200S-8	203 x 2.5	55	8	100
<input type="checkbox"/> CV-292-2	292 x 3.6	85	18	100
<input type="checkbox"/> CV-292-3	292 x 3.6	85	18	100
<input type="checkbox"/> CV-292-6	292 x 3.6	85	18	100
<input type="checkbox"/> CV-292-8	203 x 3.6	85	18	100
<input type="checkbox"/> CV-150-2	150 x 3.6	39	18	100
<input type="checkbox"/> CV-150-3	150 x 3.6	39	18	100
<input type="checkbox"/> CV-150-6	150 x 3.6	39	18	100
<input type="checkbox"/> CV-150-8	150 x 3.6	39	18	100
<input type="checkbox"/> CV-280-2	280 x 4.8	81	22	100
<input type="checkbox"/> CV-280-3	280 x 4.8	81	22	100
<input type="checkbox"/> CV-280-6	280 x 4.8	81	22	100
<input type="checkbox"/> CV-280-8	280 x 4.8	81	22	100