

Characteristics



Pharma Applications



Wet and Dry Recovery



HEPA - Included



Accessories Included



SS 304 and 316



Biohazard Applications



High Filtration Efficiency Unit



- HEPA filter with an efficiency of 99.995% at 0.3 micron. Tested IEST-RP-CC001. H14 by MPPS method as per EN 1822 and OSHA compliant. All of our HEPA vacuum systems are aerosol leak tested before leaving our facility - included
- For hospital decontamination and recovery of foam
- Heavy duty 2-stage by-pass motor
- For wet & dry recovery
- GFCI (Ground Fault Circuit Interrupter) installed on the power cable
- All stainless steel Type 304 construction
- Polyethylene recovery tank available
- Recovery tank is autoclavable
- 4-wheel dolly is autoclavable
- Includes defoaming liquid
- Includes a complete tool kit which consists of a clear FDA compliant suction hose and stainless steel extension wands

Specifications

| 2D-15 DECOM (4W) RE SS HEPA | 110187B | 110187C | 110187D | 110187E | 110567B | 110567C |
|---|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| Model Name | 2D-15 DECOM (4W) RE SS HEPA | 2D-15 DECOM (4W) RE SS HEPA | 2D-15 DECOM (4W) RE SS HEPA | 2D-15 DECOM (4W) RE SS HEPA | 2D-15 HOSPITAL (TC) RE HEPA | 2D-15 HOSPITAL (TC) RE HEPA |
| Type (Powerhead) | Electric | Electric | Electric | Electric | Electric | Electric |
| Tension | 240 V | 240 V | 240 V | 240 V | 240 V | 240 V |
| Frequency | 50 Hz | 50 Hz | 50 Hz | 50 Hz | 50 Hz | 50 Hz |
| Phase | Single | Single | Single | Single | Single | Single |
| Wattage | 1050 W | 1050 W | 1050 W | 1050 W | 1050 W | 1050 W |
| Power | 1 kW | 1 kW | 1 kW | 1 kW | 1.1 kW | 1.1 kW |
| Amperage | 5 A | 5 A | 5 A | 5 A | 5 A | 5 A |
| Air Flow | 153 m ³ /h | 153 m ³ /h | 153 m ³ /h | 153 m ³ /h | 173 m ³ /h | 173 m ³ /h |
| Vacuum Pressure | 2030 mm H ₂ O | 2030 mm H ₂ O | 2030 mm H ₂ O | 2030 mm H ₂ O | 2110 mm H ₂ O | 2110 mm H ₂ O |
| Sound Level | 78 dB(A) | 78 dB(A) | 78 dB(A) | 78 dB(A) | 78 dB(A) | 78 dB(A) |
| Type of Power Outlet | European | UK | Swiss | Chinese | European | UK |
| Suction Inlet | 38 mm | 38 mm | 38 mm | 38 mm | 38 mm | 38 mm |
| Cart Type | 4 Wheel Dolly (4W) | 4 Wheel Dolly (4W) | 4 Wheel Dolly (4W) | 4 Wheel Dolly (4W) | Tilt Cart (TC) | Tilt Cart (TC) |
| Filter Cleaning | None | None | None | None | None | None |
| Dry Recovery - Disposable Filter Bag | 19 L | 19 L | 19 L | 19 L | 19 L | 19 L |
| Liquid Recovery Capacity | 47.3 L | 47.3 L | 47.3 L | 47.3 L | 47.3 L | 47.3 L |
| Length | 64 cm | 64 cm | 64 cm | 64 cm | cm | cm |
| Width | 46 cm | 46 cm | 46 cm | 46 cm | 66 cm | 66 cm |
| Height | 102 cm | 102 cm | 102 cm | 102 cm | 99 cm | 99 cm |
| Weight (Vacuum Only) | 27 kg. | 27 kg. | 27 kg. | 27 kg. | 29 kg. | 29 kg. |
| Cord Length | 10.6 m | 10.6 m | 10.6 m | 10.6 m | 10.6 m | 10.6 m |
| 2D-15 DECOM (4W) RE SS HEPA | 110567D | 110567E | | | | |
| Model Name | 2D-15 HOSPITAL (TC) RE HEPA | 2D-15 HOSPITAL (TC) RE HEPA | | | | |
| Type (Powerhead) | Electric | Electric | | | | |
| Tension | 240 V | 240 V | | | | |
| Frequency | 50 Hz | 50 Hz | | | | |
| Phase | Single | Single | | | | |
| Wattage | 1050 W | 1050 W | | | | |
| Power | 1.1 kW | 1.1 kW | | | | |
| Amperage | 5 A | 5 A | | | | |
| Air Flow | 173 m ³ /h | 173 m ³ /h | | | | |

| | | |
|---|--------------------------|--------------------------|
| Vacuum Pressure | 2110 mm H ₂ O | 2110 mm H ₂ O |
| Sound Level | 78 dB(A) | 78 dB(A) |
| Type of Power Outlet | Swiss | Chinese |
| Suction Inlet | 38 mm | 38 mm |
| Cart Type | Tilt Cart (TC) | Tilt Cart (TC) |
| Filter Cleaning | None | None |
| Dry Recovery - Disposable Filter Bag | 19 L | 19 L |
| Liquid Recovery Capacity | 47.3 L | 47.3 L |
| Length | cm | cm |
| Width | 66 cm | 66 cm |
| Height | 99 cm | 99 cm |
| Weight (Vacuum Only) | 29 kg. | 29 kg. |
| Cord Length | 10.6 m | 10.6 m |

Please note that specifications are subject to change without notice

Use only recommended tools & accessories



2D-15 HOSPITAL (TC) RE HEPA



HEPA Filter - Included



2D-15 DECOM (4W) RE SS HEPA Tools and Accessories - Included



2D-15 HOSPITAL (TC) RE HEPA PVC Crushproof Suction Hose Assembly - Included



2D-15 HOSPITAL (TC) RE HEPA Tools and Accessories - Optional