



The Strong Ones



Easy 745 Series

Ultrasonic welding machine 35 kHz

The ultrasonic welding machine Easy 745 Series is suitable for welding operations of thermoplastic parts from small to medium size.





- . Suitable for integration into special purpose machines
- . High process reliability
- . Repeatable welding force
- . Simple tool change and quick setup

Specification Easy 745 Series

Operating frequency:	35 kHz
Safety:	This ultrasonic welding machine conforms to CE standards and thus corresponds to the European safety requirements
Switches:	Two-hand start with EMERGENCY STOP at the front
Drive type:	Pneumatic double acting cylinder Ø 40 mm
Drive energy:	Compressed air supply: 7 bar maximum 6 bar nominal Maximum consumption at 6 bar: approx. 2.5 I _{IN} /stroke
Maximum force:	745 N at 6 bar compressed air
Maximum stroke:	100 mm
Weight:	41.5 kg without Generator
Throat depth:	170 mm from the centre line of the horn to the column
Height adjustment:	180 mm using height adjusting mechanism
Generator:	SDG35-400/750 SDG35-4-200/400/750/900

Additional technical information available on request.



RINCO ULTRASONICS AG
 CH-8590 Romanshorn 1
 Tel. +41 71 466 41 00
 Fax +41 71 466 41 01
 info@rincoultrasonics.com
 www.rincoultrasonics.com