

Technical sheet :

EXTENSIBLE JIB



Benefits

- Simple & safe solution for the handling & the placement of roof trusses (packed or separated).
- User-friendly: dedicated truss hook & standard hook allowing the use as an extension jib.
- Maximum visibility during transport: adapted attachment design that allows driving the machine with a lowered machine boom.


Technical characteristics

- Capacity 600kg @ 4m/ 300kg @ 5m/ 100kg @ 6m.
- Safety: homologated rotating truss hook.
- Safety: self-locking, rotating homologated hook.
- Easy and safe manual extension.
- Integrated stabilizer for easy storage.

- Increased safety with the dedicated truss hook: no need to climb on the trusses to release them once placed.
- Simple & durable attachment.

| Capacities | | JE 6000 / 600 | |
|-----------------------|----|---------------|----------------------------|
| Max. outreach (mm) | I4 | | 3895 |
| Capacity (kg) | | | 600 |
| Capacity 2 (kg) | | | 300 |
| Capacity 3 (kg) | | | 100 |
| Max @ outreach 2 (mm) | | | 4845 |
| Max @ outreach 3 (mm) | | | 5845 |
| Weight and dimensions | | JE 6000 / 600 | |
| Width (mm) | | | 815 |
| Length (mm) | | | 4347 |
| Overall weight (kg) | | | 265 |
| Working Parameters | | JE 6000 / 600 | |
| Machine Equipement | | | No predisposition required |
| Hydraulic system | | | false |

| Machines compatibility | | JE 6000 / 600 | |
|------------------------|--|---------------|--------|
| Reference Number | | | 939995 |
| MT 733 Easy | | | X |
| MT 933 Easy | | | X |
| MT 1033 easy | | | X |
| MT 1135 | | | X |
| MT 1335 | | | X |
| MT 1440 | | | X |
| MT 1440 A | | | X |
| MT 1440 HA | | | X |
| MT 1840 | | | X |
| MT 1840 A | | | X |
| MT 1840 HA | | | X |
| MT-X 1440 | | | X |
| MT-X 1440 A | | | X |
| MT-X 1840 | | | X |
| MT-X 1840 A | | | X |



Siège Social
430 rue de l'Aubinière - 44150 Ancenis Cedex - France
Tel: +33(0)2 40 09 10 11 - Fax: +33 (0)2 40 09 10 97
www.manitou.com



This brochure describes versions and configuration options for Manitou products which may be fitted with different equipment. The equipment described in this brochure may be standard, optional or not available depending on version. Manitou reserves the right to change the specifications shown and described at any time and without prior warning. The manufacturer is not liable for the specifications given. For more information, contact your Manitou dealer. Non-contractual document. Product descriptions may differ from actual products. List of specifications is not comprehensive. The logos and visual identity of the company are the property of Manitou and may not be used without authorisation. All rights reserved. The photos and diagrams contained in this brochure are provided for information only.

MANITOU BF SA - Limited company with board of directors - Share capital: 39,547,824 euros - 857 802 508
RCS Nantes