

SWEEPOFF-B

AUTOMATIC LOW-LEVEL DEPALLETIZER



*Performance
through
Understanding*



SWEEPOFF-B

AUTOMATED LOW-LEVEL DEPALLETER

Sweepoff-B is a fixed-pallet automated low-level discharge depalletizer. Based on proven technology, it is extremely efficient, reliable and flexible in handling all sizes and types of cans and bottles.

Sweepoff-B works at medium speeds, reaching up to three layers per minute. Particularly well-suited for glass bottling lines, this depalletizer can also handle PET bottles and offers easy access

Main benefits

- Reliable
- Flexible (in terms of containers and formats)
- Completely automated
- Fully customizable
- Easy access and cleaning
- High operator safety standards

Main features

- All operations for inserting or removing pads/frames/hoods, and conveying and storing the pallets are automated and controlled from the PLC.
- The drives are controlled by inverters; the machine is equipped with a pneumatic and electric system in a IP55 Cabinet while control and power cables are enclosed in wireways.
- Designed to handle all formats of pallet individually.
- Configuration can be customized and operations programmed to meet customer requirements in terms of product handled and line layout.
- Complete safety: the machine is entirely shielded and equipped with safety barriers and guards around all moving parts in accordance with EC standards.
- Main operator panel, positioned in the bottle discharge area, is touch screen. The machine has a secondary mobile operator panel positioned in the pallet infeed area.



Discharge table


THE SWEEPOFF-B SYSTEM

The structure of the machine, consisting of two uprights designed for moving the layers, is extremely simple and guarantees efficiency.


- After the plastic wrapping has been removed, the pallet enters the machine and the pads and frames on top of the layer are picked up by the pad/frame remover.
- A centering device stabilizes the layer below on all four sides.
- The transferring head moves the first layer of product onto an intermediate platform. While the layer is being moved, the pad beneath the layer is retained by pneumatic grippers on the centering device.
- The product on the platform is transferred to the discharge table set at a height of 1100 mm from the ground: the transfer head accompanies the layer, opening at the side to allow discharge.
- After each layer has been moved, the layer pad is picked up and deposited in a special magazine.
- The size and features of the discharge table can vary according to the required speed, the product being handled and the line layout.
- An automatic device blocks the vertical movement




Product infeed



Pallet lift in the central unit



Pneumatic grippers which hold back the pad as the layer advances





Pneumatic grippers which hold back the pad as the layer advances

TECHNICAL DATA

Pallet size	1120 x 1420 mm	1000 x 1200 mm	800 x 1200 mm
Max. pallet height	2900 mm	2900 mm	2900 mm
Max. bottle height	Less than 400 mm	Less than 400 mm	Less than 400 mm
Min. bottle diameter	45 mm	45 mm	45 mm

OPTIONAL FEATURES

- Inverted tray disposal can be handled by special chutes discharging directly into a press hopper.
- Adaptable to iron, wood and plastic frames.
- Lubrication can be automated on request.



1. Head of layer transfer
2. Mobile operator panel
3. Pallet magazine
4. Hood remover
5. Centering device

Sidel is a leading provider of equipment and services solutions for packaging beverage, food, home and personal care products in PET, can, glass and other materials.

With over 40,000 machines installed in more than 190 countries, we have nearly 170 years of proven experience, with a strong focus on the factory of tomorrow with advanced systems, line engineering and innovation. Our 5,500+ employees worldwide are passionate about providing solutions that fulfil customer needs and boost the **performance** of their lines, products and businesses.

Delivering this level of performance requires that we stay flexible. We continuously ensure we **understand** our customers' changing challenges and commit to meeting their unique performance and sustainability goals. We do this through dialogue and by understanding the needs of their markets, production and value chains. In turn, we apply our solid technical knowledge and smart data analytics to ensure lifetime productivity reaches its full potential.

We call it **Performance through Understanding**.

190503 – The information in this document contains general descriptions of technical options available, which do not always have to be present in each individual case. The required features should therefore be specified in each individual case at the time of closing the contract. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, without previous written approval by the Sidel Group. All Sidel Group's intellectual property rights, including copyright, are reserved by the Sidel Group. All other trademarks are the property of their respective owners.

[sidel.com](https://www.sidel.com)

**Performance
through
Understanding**

