



Catalogue





Le spécialiste
de l'identification automatique
par codes barres depuis 1992

AIDC/POS PRINTERS

Barcode label printers

Zebra® G-Series™ printers

Les imprimantes desktop G-Series de Zebra sont compactes et offrent les meilleures vitesses et performances de leur catégorie pour une largeur d'impression allant jusqu'à 104mm.

Qu'il s'agisse du modèle de base GK™ ou du modèle GX™ doté de nombreuses fonctionnalités, ces imprimantes sont une solution fiable, durable et flexible adaptée à de très nombreux types d'utilisation et de budgets.

Conçu pour durer et être fiable, le modèle GK offre le meilleur rapport qualité/performances de toutes les imprimantes thermiques desktop de base alors que le modèle GX avancé s'adresse à différents secteurs et applications avec une très large palette de fonctionnalités.

- Identification de patients
- Identification d'échantillons et de prélèvements
- Étiquettes de services stériles
- Étiquetage de prescriptions pharmaceutiques
- Cartes d'embarquement
- Étiquettes de bagages



Suitable for:



TECHNICAL	POPULAR CONFIGURATIONS	ESSENTIAL ACCESSORIES
<p>OPERATING TEMPERATURE 4.4°C to 41°C.</p> <p>PRINT METHOD Direct thermal or thermal transfer.</p> <p>PRINT SPEED GK420: 127 mm/5 ips. GX420: 152 mm/6 ips. GX430: 102 mm/4 ips.</p> <p>PRINT RESOLUTION 8 dots per mm/203 dpi. 12 dots per mm/300 dpi (optional GX430t™).</p> <p>PRINT WIDTH 104 mm/4.09 in.</p> <p>PROGRAMMING LANGUAGES EPL and ZPL as standard.</p> <p>PHYSICAL CHARACTERISTICS Width: Direct thermal 171 mm/6.75 in. Thermal transfer 193 mm/7.6 in. Height: Direct thermal 152 mm/6.0 in. Thermal transfer 190 mm/7.5 in. Depth: Direct thermal 210 mm/8.25 in. Thermal transfer 254 mm/10.0 in. Weight: Direct thermal 1.4 kg/3 lb. Thermal transfer 2.1 kg/4.6 lb.</p>	<p>GK Series</p> <p>GK42-200120-000 - GK420 DT 203DPI RS232/USB</p> <p>GK42-200220-000 - GK420 DT 203DPI Ethernet USB</p> <p>GK42-100220-000 - GK420 TT 203DPI Ethernet USB</p> <p>GK42-100120-000 - GK420 TT 203DPI RS232/USB</p> <p>GK42-200121-000 - GK420 DT 203 DPI USB/RS232 Dispenser</p> <p>GX Series</p> <p>GX43-100320-000 - GX430 TT 300DPI RS232/USB & PAR</p> <p>GX42-100420-000 - GX420 TT 203DPI Ethernet RS232/USB</p> <p>GX43-100420-000 - GX430 TT 300DPI Ethernet RS232/USB</p> <p>GX42-100320-000 - GX420 TT 203DPI RS232/USB & PAR</p> <p>GX42-201720-000 - GX420 DT 203DPI RS232/USB WLAN</p> <p>GX42-101720-000 - GX420 TT 203DPI WLAN LCD</p>	<p>Z531-000-010 - 3 Year ZebraCare Warranty Plus (Standard Depot Service Agreement)</p> <p>Z533-000-010 - 3 Year ZebraCare Comprehensive Depot Service Agreement</p> <p>V7E-USB2AB-03M - USB Cable A to B 3m Black</p> <p>13831-002 - Zebra Designer Pro V2</p> <p>105950-035 - Print Head Cleaning Pens x 12</p> <p>02300GS11007 - TT Models ONLY: Ribbon Wax 2300 110mmx74m</p> <p>03200GS11007 - TT Models ONLY: Ribbon WAX/RESIN 3200 110mmx74m</p> <p>05095GS11007 - TT Models ONLY: Ribbon RESIN 5095 110mmx74m</p> <p>800264-305 - DT Models ONLY: Label Roll Z-Slct 2000D 102x76mm 930 labels/Roll</p>
		COMPLEMENTARY PRODUCTS
		<p>901801013 - Datalogic Heron D130 Barcode Scanner Black USB Kit incl. Cable</p> <p>LS2208-SR20007R-UR - Motorola LS2208 Barcode Scanner Black USB Kit incl. Cable and Stand</p>

30 Grande Rue
77580 Pierre levée
France
Tel: 01 60 22 21 20
Email: cdailly@alphaprint.fr
www.alphaprint.fr

8 Rue Balzac
37000 Tours
France
Tel: 02 47 56 59 15
Email: Ldailly@alphaprint.fr
www.alphaprint.fr



Le spécialiste
de l'identification automatique
par codes barres depuis 1992



Work with the specialists