

Technical sheet :

3-HOOK JIB



Benefits


- Perfect attachments for all heavy suspended loads
- Jib fitted with 3 hooks to meet various needs of building sites
- Adaptability for all yard handling applications

Technical characteristics

- 3 capacity / outreach couples
- Safety: homologated swivel self locking hook.

Capacities		P 25 T	P 36 T	P 13 T	P 18 T	P 22 T	P 9 T	P 40 T (Available upon request)
Max. outreach (mm)	14	700	905	700	700	-	470	-
Capacity (kg)		25000	36000	13000	18000	-	9000	-
Capacity 2 (kg)		18000	16000	10000	14000	-	5000	-
Capacity 3 (kg)		13000	10000	7500	10000	-	2000	-
Max @ outreach 2 (mm)		1250	2005	1350	1350	-	1385	-
Max @ outreach 3 (mm)		1800	3000	2000	2000	-	2300	-
Weight and dimensions								
Width (mm)		850	1170	800	830	-	815	-
Length (mm)		2085	3351	2215	2215	-	2518	-
Overall weight (kg)		890	1490	560	570	890	295	3500
Working Parameters								
Machine Equipment		No predisposition required	No predisposition required	No predisposition required	No predisposition required	-	No predisposition required	-
Hydraulic system		false	false	false	false	false	false	false

Machines compatibility	P 25 T	P 36 T	P 13 T	P 18 T	P 22 T	P 9 T	P 40 T (Available upon request)
Reference Number	-	-	-	-	53010431	-	939100
Reference Number E-RECO	53010431	52604320	53009841	53011885	-	930830	-
MHT 10130	-	-	X	-	-	-	-
MHT 10180	-	-	-	X	-	-	-
MHT 10230	X	-	-	-	-	-	-
MHT 12330	X	X	-	-	-	-	-
MHT 1490	-	-	-	-	-	X	-
MHT 790	-	-	-	-	-	X	-
MHT-X 10130	-	-	X	-	-	-	-
MHT-X 10180	-	-	-	X	-	-	-
MHT-X 10230	X	-	-	-	-	-	-
MHT-X 12330	X	X	-	-	-	-	-
MHT-X 1490	-	-	-	-	-	X	-
MHT-X 790	-	-	-	-	-	X	-
MRT 2470 Privilege Plus	-	-	-	-	-	X	-
MRT-X 2470 Privilege Plus	-	-	-	-	-	X	-



Siège Social

430 rue de l'Aubinière - 44150 Ancenis Cedex - France

Tel: +33(0)2 40 09 10 11 - Fax: +33 (0)2 40 09 10 97

www.manitou.com



This brochure describes versions and configuration options for Manitou products which may be fitted with different equipment. The equipment described in this brochure may be standard, optional or not available depending on version. Manitou reserves the right to change the specifications shown and described at any time and without prior warning. The manufacturer is not liable for the specifications given. For more information, contact your Manitou dealer. Non-contractual document. Product descriptions may differ from actual products. List of specifications is not comprehensive. The logos and visual identity of the company are the property of Manitou and may not be used without authorisation. All rights reserved. The photos and diagrams contained in this brochure are provided for information only.

MANITOU BF SA - Limited company with board of directors - Share capital: 39,547,824 euros - 857 802 508
RCS Nantes