

ATEX

ATEX 1st Party Certified  
CE II 3D  
Ex tc IIIB T200°C Dc IP6X

**ESD Safe** Vacuum Systems for Hazardous Locations are designed to prevent ignition hazards. We use metal parts or Static Dissipative Powder Coating to prevent Electrostatic Discharge (ESD)

### Characteristics



HEPA - Included



High Filtration Efficiency Unit



Detachable Tank



Dry Recovery



Dual Motor



Static Dissipating



SS 430



SD Accessories - Included



- **Our most popular unit for firing range housekeeping**
- Ideal for housekeeping and general cleaning
- Dual bypass/dual speed Ametek® long life motors
- Includes 5 HEPA filters. Class H14. Individually factory tested
- Stainless steel Type 430 body and recovery tank
- Manual Filter Shaker (MFS) with static dissipative Teflon laminated main cloth filter assembly
- Detachable filter chamber and recovery tank for easy disposal of contaminated recovered materials
- Material to be recovered within a conductive poly liner recovery bag for easy disposal
- Front mounted 28" (71 cm) floor tool designed for Firing Ranges, is ideal for larger surfaces in hazardous locations/areas - optional

## Specifications

4D-35L EX DT MFS HEPA (FRP)	113306B
<b>Model Name</b>	4D-35L EX DT MFS HEPA (FRP)
<b>Type (Powerhead)</b>	Electric
<b>Tension</b>	240 V
<b>Frequency</b>	50 Hz
<b>Phase</b>	Single
<b>Wattage</b>	2100 W
<b>Power</b>	2.1 kW
<b>Amperage</b>	10 A
<b>Air Flow</b>	375 m <sup>3</sup> /h
<b>Vacuum Pressure</b>	2180 mm H <sub>2</sub> O
<b>Type of Power Outlet</b>	Not Included
<b>Suction Inlet</b>	50 mm
<b>Cart Type</b>	Detachable Tank (DT)
<b>Filter Cleaning</b>	Manual Filter Shaker (MFS)
<b>Dust Recovery Tank</b>	35 L
<b>Length</b>	71 cm
<b>Width</b>	60 cm
<b>Height</b>	138 cm
<b>Weight (Vacuum Only)</b>	53 kg.
<b>Cord Length</b>	10.6 m

Please note that specifications are subject to change without notice

## Use only recommended tools & accessories



4D-35LEX Suspended Powerhead



4D-35LEX DT MFS HEPA with Recovery Tank removed



4D-35LEX DT with optional Front Mounted Floor Brush (MFS version shown)



Ø2" (Ø50 mm) Static Dissipative Tools and Accessories (Bulk Wand) - Included



HEPA Filter - Included



Main Cloth Filter and Cage, Static Dissipative - Included



Conductive Polyliner Recovery Bag - Included



Optional Front Mount Floor Tool