


KIT SOLAIRE PLUG & PLAY



DES KITS SOLAIRES FACILE A INSTALLER





www.krytec-technologies.com Tel : +33(0) 1 69 28 95 85 - Email: contact@krytec-technologies.com



20W Solar DC to AC Power System

			ASPG-20	W		Package Inc	ludes
	Model No.		ASPG- AS-MS	P20M		***Include	d***
Solar	Maximum power at STC(pm)		20 Wp		- 1xSolar Panel -		
Module	Maximum charge voltage	17.2V			-	1xContro	
	Maximum charge current		1.16A		- 3	1xInvert x12V Light F	-
	Туре	Le	ad Acid Free Ma	aintenance		5W Fluoresc	
Battery	System Voltage		12V				
	Capacity		17AH				
Charge	System Voltage		12V				
Controller	Rated discharge current		6A				
	Continuous Output Power		20W		*** Dette		for hulls ordere
Inverter	Surge Rating		30W		Batte	only **	for bulk orders
	Output Voltage	1	10V to 240V/50	Hz/60Hz		Only	
Control	•• • • •	Steel b	pox of zinc-plate	d and lacquer-			
Box	Material		coated				
	Capacity of Load:		Specification	Load power	Number	Working hours/day	Expend/day
			110V / 220V	5W=30W	3	8	120Wh

			ASPG-50W			Package In	cludes			
	Model No.	A	SPG- AS-MSP	50M						
Solar module	Maximum power at STC(Pm)		50Wp							
	Max charge voltage		17.2V			Included				
	Max charge current		2.9A		-	1xSolar F				
	Туре	Lead	-acid Maintena Rechargeabl			- 1xController - - 1xInverter - - 3x30W Light Fixtures -				
Battery	System Voltage		12V		-3)	5W Fluoreso	ent = 30W-			
	Capacity		40AH							
Charge	System Voltage		12V							
Charge Controller	Rated discharge current		6A							
	Туре	High fı	equency pure	sine wave	*** Bat	*** Battery included for bulk orders				
Inverter	Continuous Output Power		50W			only ***				
	Surge Rating		600W							
	Output Voltage	110	V to 240V/50H	z/60Hz						
Control Box	Material	Steel box of zinc-plated and lacquer- coated								
Capac	Capacity of Load:		specification	Load power	Number	Working hours/day	Expend/day			
		Total	50W	***	***	8	400Wh			



		ASPC	G-100W		Pa	ckage Incluc	les		
	Model No.	ASPG- AS	S-MSP100M						
Solar module	Maximum power at STC(Pm)	10	100Wp			<u>Included</u> - 1xSolar Panel -			
	Max charge voltage	17	7.2V		-	1xController	-		
	Max charge current	7	.9A		-	1xInverter 3x30W Light	-		
	Туре	Lead-acid Maintenar	nce-free Recharg	eable	-	Fixtures	-		
Battery	System Voltage	1	2V		_ ^{3x5}	W Fluoresce 30W	nt = _		
	Capacity	50	DAH			3011			
Charge	System Voltage	1	2V						
Charge Controller	Rated discharge current	1	0A						
	Туре	High frequency	y pure sine wave						
Inverter	Continuous Output Power	10	W00		*** Battery inc	luded for bu	lk orders only		
	Surge Rating	60	00W						
	Output Voltage	110V to 240)V/50Hz/60Hz						
Control Box	Material	Steel box of zinc-plated and lacquer-coated				-			
Capa	acity of Load:	Load	specification	Load power	Number	Working hours/day	Expend/day		
		Total	100W	***		8	800Wh		

		ASPG-20	W00		Packag	e Includes	
	Model No.	ASPG- AS-M	SP200M				
Solar module	Maximum power at STC(Pm)	200Wp					
	Max charge voltage	34.4\	1		Incl	uded	
	Max charge current	5.8A				ar Panel	
	Type Deep Cycle				ntroller ·		
Battery						W Light	
	Capacity	100AH/1	2V			tures iorescent =	
Charge	System Voltage	12V	30W				
Controller	Raged discharge current	20A					
	Туре	High frequency pu					
Inverter	Continuous Output Power	200W	,	*** Battery included for bulk orders only ***			
	Surge Rating	600W	1				
	Output Voltage	110V to 240V/5	0Hz/60Hz				
Control Box	Material	Steel box of zinc-plated and lacquer-coated					
Capa	Capacity of Load:		Load Specification		Number	Working hours/day	Expend/day
		Total		***		6	1200Wh



		ASI	PG-400W		Pa	ickage Includ	les		
	Model No.	ASPG-	AS-MSP200M						
Solar module	Maximum power at STC(Pm)	4	400 Wp						
	Max charge voltage		34.4V			Included			
	Max charge current		11.63A		- 2	xSolar Panel 1xController	•		
	Туре	De	ep Cycle		-	1xInverter	-		
Battery	System Voltage		24V			W Light Fixt			
	Capacity	20	0AH/12V	-3x5W Fluorescent = 30W-			= 30 W-		
Charge	System Voltage		24V						
Charge Controller	Rated discharge current		20A						
	Туре	High frequer	icy pure sine wave						
Inverter	Continuous Output Power		400W	*** Battery included for bulk orders only ***					
	Surge Rating		800W						
	Output Voltage	110V to 2	40V/50Hz/60Hz						
Control Box	Material		f zinc-plated and uer-coated]					
Сара	city of Load:	Load	Specification	Load power	Number	Working hours/day	Expend/day		
		Total		***			2400Wh		

		ASP	G-500W		Pac	kage Include	es		
	Model No.	ASPG- A	S-MSP250M						
Solar module	Maximum power at STC(Pm)	50	00 Wp	Included					
	Max charge voltage	3	34.4V						
	Max charge current	1	1.63A		- 2x	Solar Panels	; -		
	Туре	Dee	ep Cycle	- 1xController -					
Battery	System Voltage		24V 200AH/12V			1xInverter N Light Fixtu	- Ires -		
	Capacity	200				-3x5W Fluorescent = 30W-			
Charge	System Voltage		24V						
Charge Controller	Rated discharge current		20A						
	Туре	0 1	ency pure sine wave						
Inverter	Continuous Output Power	5	500W	•••• Bi	*** Battery included for bulk orders only ***				
	Surge Rating	1	W000						
	Output Voltage	110V to 24	0V/50Hz/60Hz						
Control Box	Material		zinc-plated and er-coated						
Capacity of Load:		Load	Specification	Load power	Number	Working hours/day	Expend/day		
		Total		***			3000Wh		



		ASPO	G-600W			Package Inclue	des	
	Model No.	ASPG- AS	S-MSP200M					
Solar module	Maximum power at STC(Pm)	60) Wp					
	Max charge voltage	34	4.4V	Included				
	Max charge current	11	.63A		-	3xSolar Pane	ls -	
	Туре	Deep	o Cycle		-	1xController		
Battery	System Voltage	2	4V	- 1xInverter - - 3x30W Light Fixtures -				
	Capacity	200A	H/12V	- 3x50W Light Fixtures - - 3x5W Fluorescent = 30W -				
Charge	System Voltage	2	4V					
Charge Controller	Rated discharge current	2	OA					
	Туре	0 1	ncy pure sine ave	*** Battery included for bulk orders only ***				
Inverter	Continuous Output Power	60	90W		Battery Ir	iciuded for buil	corders only """	
	Surge Rating	12	W00					
	Output Voltage	110V to 240	V/50Hz/60Hz					
Control Box	Material		zinc-plated and r-coated					
Сара	Capacity of Load:		Specification	Load power	Number	Working hours/day	Expend/day	
		Total		***			3600Wh	



			ASPG-750	W		Package Inc	ludes		
	Model No.		ASPG- AS-MSI	P250M					
	Maximum power at STC(Pm)		750 Wp						
Solar module	Maximum charge voltage		34.4V Included - 3xSolar Panels			-			
	Maximum charge current		21.8A		- 1xController - - 1xInverter -				
	Туре		Deep Cycle			3x30W Light F x5W Fluoresce			
Battery	System Voltage		24V						
	Capacity		400AH/24	V					
Charge	System Voltage	24V			_				
Controller	Rated discharge current		30A						
	Туре	Hig	h frequency pure	e sine wave	*** Battery included for bulk orders only ***				
Inverter	Continuous Output Power		750W						
	Surge Rating		1600W						
	Output Voltage		110V to 240V/50	Hz/60Hz					
Control Box	Material	Steel box of zinc-plated and lacquer- coated							
Сар	acity of Load:	Load	Specification	Load power	Number	Working hours/day	Expend/day		
		Total		***			4500Wh		



		ASPG-1000W	Package Includes
	Model No. ASPG- AS-MSP250M		
Solar	Maximum power at STC(Pm)	1000 Wp	Included
module	Maximum charge voltage	34.4V	- 4X250W Solar Panels -
	Maximum charge current	29A	- Cable Included - - 1XController -
	Туре	Deep Cycle	- 1XInverter -
Battery	System Voltage	24V	
	Capacity	300AH/24V	
Charge	System Voltage	24V	
Controller	Rated discharge current	45A	
	Туре	High frequency pure sine wave	***Battery included for bulk orders
Lauraten	Continuous Output Power	1000W	only***
Inverter	Surge Rating	2000W	
	Output Voltage	110V to 240V/50Hz/60Hz	
Control Box	Material	Steel box of zinc-plated and lacquer-coated	

		ASPG-1500W	Package Includes
	Model No.	ASPG- AS-MSP250M	
Solar	Maximum power at STC(Pm)	1500 Wp	Included
module	Maximum charge voltage	34.4V	- 6X250W Solar Panels -
	Maximum charge current	29A	- Cable Included - - 1XController -
	Туре	Deep Cycle	- 1XInverter -
Battery	System Voltage	24V	
	Capacity	300AH/24V	
Charge	System Voltage	24V	
Controller	Rated discharge current	45A	
	Туре	High frequency pure sine wave	***Battery included for bulk orders
1	Continuous Output Power	1500W	only***
Inverter	Surge Rating	2000W	
	Output Voltage	110V to 240V/50Hz/60Hz	
Control Box	Material	Steel box of zinc-plated and lacquer-coated	



		ASPG-2000W	Package Includes		
	Model No.	ASPG- AS-MSP250M			
Solar module	Maximum power at STC(Pm)	2000 Wp	Included 8X250W Solar Panels		
	Max charge voltage	68.8V	- Cable Included - - 1XController -		
	Max charge current	72.7A	- 1XInverter -		
	Туре	Deep Cycle			
Battery	System Voltage	48V			
	Capacity	300AH/48V			
Charge	System Voltage	48V			
Controller	Rated discharge current	110A	***Battery included for bulk		
	Туре	High frequency pure sine wave	orders only***		
las senten	Continuous Output Power	2000W			
Inverter	Surge Rating	3000W			
	Output Voltage	110V to 240V/50Hz/60Hz			
Control Box	Material	Steel box of zinc-plated and lacquer-			
Control Box		coated			

		ASPG-3000W	Package Includes			
	Model No.	ASPG- AS-MSP250M				
Solar module	Maximum power at STC(Pm)	3000 Wp				
	Max charge voltage	68.8V	Included			
	Max charge current	72.7A	-12X250W Solar Panels- - Cable Included -			
	Туре	Deep Cycle	- 1XController -			
Battery	System Voltage	48V	- 1XInverter -			
	Capacity	300AH/48V				
Charge	System Voltage	48V				
Controller	Rated discharge current	110A				
	Туре	High frequency pure sine wave				
la	Continuous Output Power	3000W	***Battery included for bulk			
Inverter	Surge Rating	4000W	orders only***			
	Output Voltage	110V to 240V/50Hz/60Hz				
Control Box	Material	Steel box of zinc-plated and lacquer- coated				



		ASPG-5000W	Package Includes
Solar module	Model No.	ASPG- AS-MSP250M	Included -20 X Solar Panels- - Cable Included - - Controller - - Inverter -
	Maximum power at STC(Pm)	5000 Wp	
	Max charge voltage	68.8V	
	Max charge current	72.7A	
Battery	Туре	Deep Cycle	
	System Voltage	48V	
	Capacity	1500AH/48V	
Charge	System Voltage	48V	
Controller	Rated discharge current	110A	
Inverter	Туре	High frequency pure sine wave	***Battery included for bulk orders only***
	Continuous Output Power	5000W	
	Surge Rating	10000W	
	Output Voltage	110V to 240V/50Hz/60Hz	
Control Box	Material	Steel box of zinc-plated and lacquer-	
		coated	
Average generating Power per day		28800—38400 WH	

10000W Solar DC to AC Power System On-Grid

		ASPG-10000W	Package Includes
Solar module	Model No.	ASPG- AS-MSP260M	Included -38 X Solar Panels- - Cable Included - - Controller - - Inverter -
	Maximum power at STC(Pm)	10000 Wp	
	Max charge voltage	68.8V	
	Max charge current	145.4A	
No Battery	Туре	Deep Cycle	
	System Voltage	48V	
	Capacity	3000AH/48V	
Charge	System Voltage	48V	
Controller	Rated discharge current	220A	
Inverter	Туре	High frequency pure sine wave	On - Grid
	Continuous Output Power	8000W	
	Surge Rating	16000W	
	Output Voltage	110V to 240V/50Hz/60Hz	
Control Box	Material	Steel box of zinc-plated and lacquer- coated	
Average generating Power per day		48000—64000 WH	



		ASPG-20000W	Package Includes
Solar module	Model No.	ASPG- AS-MSP250M	Included -80 X Solar Panels- - Cable Included - - Controller - - Inverter -
	Maximum power at STC(Pm)	20000 Wp	
	Max charge voltage	68.8V	
	Max charge current	145.5A	
No Battery	Туре	AGM Deep Cycle No Maintenance	
	System Voltage	48V	
	Capacity	48000AH/48V	
Charge	System Voltage	110V	
Controller	Rated discharge current	180A	
Inverter	Туре	High frequency pure sine wave	
	Continuous Output Power	20000W	
	Surge Rating	30000W	On - Grid
	Output Voltage	110V to 240V/50Hz/60Hz	
Control Box	Material	Steel box of zinc-plated and lacquer-	
		coated	
Average generating Power per day		100000 to 120000 WH	

20000W Solar DC to AC Power System On-Grid

