

THE HOTEL LOCK HOTEK

we







in The Netherlands. EUR1 document available on request.

The items in this catalogue are subject to further development. Technical data and designs are subject to change without notice at any time. All rights reserved. Hotek Hospitality Group.

BE DIFFERENT

In 1995 I started as a trainee at a Spanish lock manufacturer, back then a magnetic keycard was something completely new and luckily we had no mobile phones in 1995 so no issues with demagnetized magnetic keycards. 4 years later I created Hotek Hospitality Group and I promised myself that we will do our business different and unique. How ? By creating standard 24h service, new innovations and by listening to what the market needs. As a very frequent hotel guest I know how hotels can improve security and comfort and re-connect to your guests again.

Where are we now ? After 25 years we can all agree that the world has been changed by the internet and we have learned that a lock is not a lock anymore and keycards are getting outdated. In 1999 we were the first lock company introducing a smart keycard which could do more then only open a door. Now we have reached the era that Generation Z travellers will become the most mobile people that have existed, a new generation with literally no boundaries and the sky is the limit. Or shall we say that the cloud is the limit?

What is the most important for business and holiday travellers ? Mobile phone ? No that is just a tool of connecting to the internet. The most important for travellers and hotels is being online in order not to miss anything in life. And with our new mobile platform GUESTKEY we can offer your hotel a new way of connecting to their guest. With this new platform your guest is able to use an QR code, Bluetooth (BLE) or our own invention CLE which stands for opening doors through the cloud by using a Cloud Low Energy controller inside the hotel lock. And by our (web)app you are able to do upselling, higher reviews by creating an on-line guest experience and get in control about your guest contact. At Hotek Hospitality Group our VISION is based on Comfort, Security and Innovation. With our unique approach of looking at your guest and your hotel. As an independant company with a proven track record and financial stable base we are not looking only for turnover. We want to change the access control inside the hospitality market by launching innovations like CLE, GenerationZ and GUESTKEY, IoT is the base for the future for you and for us. With online tools all hotels, holiday parcs and passenger ships can improve the security and comfort for your guests.

After the introduction of CLE where we offer realtime management tools and easy mobile opening, we will also launch a very unique hotel lock: GenerationZ. The name reflects the travellers of tomorrow. Mobile opening in combination with RFID keycard or unique cloud controlled QR code. This lock is the missing link for all situations where our customers demands more then only opening a door. Imagine a world where you can use your airplane boarding pass to open your hotelroom, use your boarding pass to open a shower at an airport lounge, or use your QR code for boarding on a ship. Future ? No we already have done this, and now this is available for all our customers.

With this HOTEK book we would like to give you an overview of our keycard locks and other products related to acces a hotel room. I would like to thank you for the interest in our company and looking forward to meet you in your hotel or our state-of-art showroom. And if you are already using a HOTEK lock don't worry we can upgrade with CLE and GenerationZ.

Best regards,

Dolf Mulder CEO & Innovater of Hotek Hospitality Group

PS: by being different we make the difference



CONTENT

- 2 · Preface
- 6 · Introduction
- 8 · Classic
- 38 Upgrade kits
- 46 Mini Design
- 70 · Camouflage
- 76 Door fittings Mini
- 78 Small Line
- 92 · E-Cylinder
- 98 Generation X QR Code
- 104 Generation Z
- 112 Smart DND Panels
- 142 Extra for your hotel
- 148 · Lock & Software specifications
- 154 Official paperwork
- 158 Our Facilities
- 174 · References
- 180 One stop shopping



MARKET LEADER NUVAIOR YEARS OF **JFXPFRIFNCE OVER 1.5 MILLION** LOCKS INSTALLED

9000 ISO 9001 2015 WORLDWIDE

Hotek Hospitality Group is manufacturer and supplier of smart security systems and design supplies for the hospitality business. The combination of the two brands Hotek Hotel Locks and Be Dutch hotel supplies offers a full-service model and one-stop shopping service for hotel management.

With over 20 years of experience Hotek's mission is to lead the hospitality business into the next decade offering innovative security solutions with which their clients can stay ahead of the field.

SERVICE SUPPLIER



CLASSIC

The Classic, the foundation of Hotek. 20 years of excellence, used on more than 1 million hotel doors.

E THE FIRST THE BEST THE STANDARD FITS MOBILE EVERY DOOR MADE READY DOOR MADE ANTI-PICK WITH OR WITHOUT MECHANICAL CYLINDER





















MINI DESIGN

Our first and very own design based on the iPhone, created for design hotels.

B MADE IN HOLLAND DESIGN LOCK **AVAILABLE WITH DESIGN HANDLES** SMALL MOBILE STYLISH READY MODERN READY YOU LIKE APPLE?















DESIGN FIT, STYLISH AND MODERN

WHERE IS THE LOCK? ZMODERN **Hylsir**

CAMOUFLAGE

Evolved from the Mini and developed for architects who don't want a visible card reader on the doors.



DOOR FITTINGS MINI









PVD (Physical Vapor Deposition) is a coating which protects the products against wear and corrosion.




76






DEX







SMALL LINE

Developed for bungalow parks in particular that often use doors with glass on which only a Small Line would fit.

ALWAYS FITS ON ANY DOOR BE SMALL NARROW BE DOORS BUNGALOW GLASS HOLIDAYS DOORS PARKS








EASY INSTALLATION ULTIMATE FIT SPECIAL NO CHANGE DOOR DIFFICULT OR DOOR FRAME **DO IT YOURSELVES** FIRE PROOF

E-CYLINDER

Developed for doors on which no lock would fit but work with a mechanical cylinder, so that's the only thing we need to replace.







GENERATION X QR CODE

Designed for hotels without check-in, here functions goes over form, let's say the Volvo of new and innovative locks.

BE SMART **ONE OF** AND GO FOR **ONE OF** PAPERLESS OR **A KIND** PAPER ONLY **FLEXIBLE CHECK-IN & EASY ACCESS USE CARD, CODE OR PAPER**







SMART DND PANELS


Developed for hotels (long stay) that are different.


ON-LINE CONTROL ON-LINE ACCES PERSONALISED EXCLUSIVE REAL DING DONG













LOCK & SOFTWARE SPECIFICATIONS

SPECIFICATIONS

LOCK MODELS	CLASSIC	UPGRADE KIT	MINI & CAMOUFLAGE	SMALL LINE	E-CYLINDER	GENERATION X	GENERATION Z	DND PANEL
OPENING WAYS		·			•	·	•	
RFID keycard offline	•	•	•	•	•	•	•	•
RFID keycard online							•	•
QR Code offline		•				•	•	
QR Code online							•	
Mobile phone BLE	•	•	2021	2021		2021		•
Mobile phone CLE	•	•	•	2021		2021	•	•
MECHANICAL EMERGENCY	KEY							
Key different (standard)	•	•	•	•	•	•	•	
Mechanical key MASTER	Option		•	•		Option	Option	
No cylinder model	•		•	•		•	•	
LOCK FEATURES					•			
Privacy function	•	•	•			•	•	
Anti-panic function	•	•	•			•	•	
Door alarm	•					•		
Anti-pick lockcase	•	•	•			•	•	
Battery alarm	•	•	•	•	•	•	•	
Memory 1000 events	•	•	•	•	•	•	•	•
Battery operated	4XAA	4XAA	3XAA	3XAAA	1/2AA	4XAA	4XAA	
Longlife lithium battery pack	•	•				•	•	
FINISHES								
Design wrapping	•			•		•	•	
Stainless steel	•		•	•	•	•	•	
Satin brass	•		•			•	•	
Brass PVD			•					
Black edition	•		•					
Anthracite PVD			•					
Special colours on request	•		•			•	•	

Guest Card RFID	Max. 16 guest doors		Can be blocked by using a new card			
	on one card	doors				
QR Guest Code	Max. 8 guest doors on one code	Max. 128 common doors	Can be blocked by using a code	Only for Guest!!		
Master Card RFID	Works on ALL doors		Individual time zone and days of the week	Can be blocked individually or by group		
Floor Card RFID	Max. 16 Floors	Max. 128 common doors	With individually set end date	Individual time zone and days of the week	Can be blocked individually or by batch (max. 16 cards)	
Zone Card RFID	Max. 16 predefined HSKP Zones/ Foreman Zones/ Extension Zones	Max. 128 common doors	With individually set end date	Individual time zone and days of the week	Can be blocked individually or by batch (max. 16 cards)	
Staff Card RFID	Max 16 offices	Max 128 common doors	With individually set end date	Individual time zone and days of the week	Can be blocked individually or by batch (max. 16 cards)	
Repair Card RFID	Can be made for max. 16 individual rooms	Max 128 common doors	With individually set end date	Individual time zone and days of the week	Can be blocked individually or by batch (max. 16 cards)	
SMART - LOCKING PLAN						
Infinite guest rooms						
Layer function	Layer function can be used to combine doors to one suite or to create multiple bed numbers for a hostel					
Common Doors	128 individual common doors can be created. Common doors can also be programmed multiple times					
Common Door Zone	Common Doors can be put together in a pre-programmed template. By one click, the correct common doors are selected					
Auto Open	Common Doors can be set with automatic open time during opening hours					
Restrict Times	Common Doors can be set with a disable time during closing hours, with exceptions for certain types of keys					
Check-in and Check-out time	Check-in and check-out time can be adjusted					
SMART - SECURITY AND MA	NAGEMENT					
Erase Card RFID			To individually block	one or more staff keys		
Programming with cards	Standard	Standard By Programming with cards you can always program, and you are not relying on a programmer that needs to be charged and updated				
Programming with PDA	Option	Option The PDA holds the complete locking plan, so multiple doors can be programmed and audited in one go				
Revalidator	Option Using the revalidator the staff cards validation is limited to 24 Hours. After 24 Hours the card needs to pass the revalidator to be activated again					
Readout last 250 events by card	Standard	Standard Using the Readout Card, 250 events can be obtained from the lock at 1 time. Data needs to be processed at the software before reading out another loc				
Readout last 1000 events by PDA	Optional Using the PDA, multiple locks and can be audited at the same time. Data can be processed in 1 time at the software					
User Accounts	User accounts can be set individually with authorizations					
Card Info Report	Overview of all current and passed keys					
Log Report	Overview of the logged on users					
Audit Trail Report	Memory of 100 Lock Audit reports that have been done in the passed (1000 openings per lock)					
Registered events			Rejected try - inside opening - deac	lbolt un/locking - openings by reader		
Network monitor	Online locks only	Online locks only Shows the current status of the online locks and can be used to obtain lock info and readout reports from online locks				
Anti-pass back	Wallreader For parking entrance & exit					
Counter function			For control of paid services lik	e swimming pool or sauna etc		

151

SMART - ENCODERS & SOFTV	VARE			
USB Encoder	Standard	Directly connected to the desktop the user is working on		
TCP/IP Encoder	Option	Suitable when there is no desktop computer or no direct connection with the encoder		
SQL Database	Central SQL Database			
QR Code Printer	Ticket printer for the QR Code ticket			
SMART - INTERFACES	•			
PMS - TCP/IP		Standard PMS Interface with TCP/IP Connection and Hotek protocol supporting all functionality		
PMS – FIAS	Standard PMS Interface with TCP/IP Connection and FIAS protocol (FIAS protocol does not support all Hotek functionality)			
"Encoder 99"	Encoder 99 PMS interface can be used with check-in kiosk to obtain keycard data to be written on third-party encoder			
Extra Sector / POS	Interface can write extra data in an open sector such as a reservation number to be used by thirth parties.			
QR Code	PMS system can obtain the QR code or the QR code can be sent to an email address with a simple email template			
WALLREADER				
RFID Offline	SMART standard model or with separate control unit			
RFID Online	SMART TCP/IP model with separate control unit & Generation Z with dry contact			
QR Code Offline	Generation X standard model			
QR Code Online	Generation Z with dry contact			
CLE	Dry contact model			
Elevator controller	SMART wallreader with relay box for control 16 floors, can be extended unlimited			
GUESTKEY - MOBILE TECHNO	DLOGY			
BLE		Standard SDK Solution to integrate Bluetooth Mobile key into the hotel app		
CLE	Cloud solution through RestAPI – enables you to open the lock remotely using mobile technology			
Generation Z	Tailormade cloud RFID, QR code and barcode solution - more information on request			
GUESTKEY - GATEWAYS				
BLE	Cloud control - online opening door (with delay) - online control of doors & users BLE			
CLE	Cloud control - online opening door (without delay) - online control of doors & users CLE			
Generation Z	Cloud control - online opening door (without delay) - online control of doors & users QR codes & RFID keycards			
GUESTKEY - PLATFORM				
BLE	APP controlled – only lock SDK			
CLE	WEB-APP controlled - with extra Guest Experience options (SILVER - GOLD - PLATINIUM)			

SMART - KEYCARDS, KEYFOBS, WRISTBAND, STICKERS				
Mifare RFID S50	Guest card encrypted unique code – OPEN mode also possible			
Mifare RFID S70	Staff card use with write back function, openings of door are also stored on keycard - virtual network function			
ENERGY SAVING UNIT				
Standard	Working on any keycard			
Mifare	Working on Mifare RFID Keycard only			
2-relay	Working on programmed RFID Keycard only, with separate authorization for guest and staff			

Next to the latest SMART platform we can also offer CLASSIC platform with limited functions, ask your HOTEK advisor for more details.
For Generation Z this is a tailor made platform with unlimited functions, ask your HOTEK Product manager for more details.

153

OFFICIAL PAPERWORK

CERTIFICATION

ISO 9001 : 2015

The management system of Hotek is ISO 9001:2015 certified. Processes are monitored and optimised continuously in order to offer the best products and services.

MANAGEMENT SYSTEM CERTIFICATE


Hotek secur

This is to C




Hotek CLASSIC locks are Fire resistant in accordance with European Standards. EN 1634-1:2014

YOU ARE ALWAYS WELCOME TO VISIT HOTEK!














REFERENCES

175





IOTEK HOSPITALITY GROUP

Munnikenheiweg 27 4879 NE Etten-Leur +31 (076) 50 24 750 www.hotek.nl info@hotek.nl 24h service: service.hotek.nl